



# Tapiflex TX 163 / TX 164

## DESCRIPTION

Printed acoustic vinyl floorcovering with high density foam backing on a glass fibre stabilized carrier, filler free wear layer.

PUR Reinforced, built-in fungistatic & bacteriostatic Sanitized® treatment. Product standard: EN 651.

Technical data	Standards	TX 163 sheet	TX 164 sheet	TX 164 UNI	TX 163 tile	TX 164 tile
Classification	EN 685 domestic commercial industrial UPEC	Classes: 33 42 U3 P3 E2/3 C2	Classes: 34 U4 P3 E2/3 C2	Classes: 34 U4 P3 E2/3 C2	Classes: 33 42 U3 P3 E2/3 C2	Classes: 34 U4 P3 E2/3 C2
Total thickness	EN 428	3.30 mm	3.45 mm	3.45 mm	3.40 mm	3.45 mm
Wear layer thickness	EN 429	0.50 mm	0.65 mm	0.65 mm	0.50 mm	0.65 mm
Total weight	EN 430	3 100 g/m <sup>2</sup>	3 295 g/m <sup>2</sup>	3 295 g/m <sup>2</sup>	3 270 g/m <sup>2</sup>	3 465 g/m <sup>2</sup>
PUR Reinforcement		Yes	Yes	Yes	Yes	Yes
Abrasion Group	EN 660-1	Group T: ≤ 0.08 mm				
Residual indentation	EN 433	0.15 mm				
Underfoot comfort	EN 433	≥ 0.40 mm				
Furniture leg	EN 424	No damage				
Castor chair	EN 425	No damage				
Dimensional stability	EN 434	≤ 0.10 %				
Curl resultant to heat	EN 434	≤ 8 mm	≤ 8 mm	≤ 8 mm	≤ 2 mm	≤ 8 mm
Reaction to fire	EN 13501-1 NF P 92506 ASTM E648	C <sub>fl</sub> s1 M3 Category 1				
Slip resistance	DIN 51130 pr EN 13893	R10 ≥ 0.3				
Electrostatic properties	EN 1815 EN 1081 EN 14041	2 kV R <sub>t</sub> > 10 <sup>10</sup> Ω Antistatic				
Impact sound reduction	EN ISO 140-8 EN ISO 717/2 ΔL <sub>w</sub>	19 dB				
Acoustic improvement	NF S 31-074 L <sub>n,e,w</sub>	61 dB				
Light fastness	EN ISO 105-B02	≥ 6/8				
Chemical resistance	EN 423	High resistance				
Resistance to bacteria	NF EN ISO 846	Sanitized - Grade 0 - high fungi effect				
Thermal resistance Underfloor heating	EN 12524	0.05 m <sup>2</sup> K/W Suitable				
Colours		Wood: 5 - Esquisse: 15 Dolomite: 11 - Salsa: 10 Matrix: 14 - Matrix Phospho: 1		Uni : 18	Esquisse: 8 - Dolomite: 8 Salsa: 8	
Form of delivery	EN 426 EN 427	Rolls: 23 lm x 2 m			Tiles: 0.50 m x 0.50 m	

The above information is subject to modification for the benefit of further improvement (05/06). For more detailed technical information, please contact Tarkett. Follow Tarkett's installation and maintenance instructions carefully. These instructions are available upon request.



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett AG Niederlassung Wien – Tel. +43 1 47 88 062 > **Baltic States:** Tarkett SAS – Tel. +370 37 262 220 > **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 62 88 15 38 > **Czech Republic:** Tarkett SAS, org. slozka – Tel. +420-271 001 602 > **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett AG, Bereich Objekt – Tel. +49 6233 810 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Hungary:** Tarkett SAS – Tel. +36 1 437-8150 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411 > **Luxembourg:** Tel. +352 949 211 8804 > **Middle East:** Tarkett Middle East – Tel. +961 1 75 2363/4 > **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 760 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Sp. z o.o. – Tel. +48 22 598 08 81 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 > **Russian Federation:** Tarkett Russia – Tel. +7 4 95 777 69 83 > **Slovakia:** Tarkett SAS – Tel. +421 37 6515 404 > **Singapore:** Tarkett Far East – Tel. +65 6743 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • (44) 569 12 21 > **United Kingdom:** Tarkett-Marley Floors Limited – Tel. +44 (0) 1622 854 040 > **Spain:** Tarkett Floors S.L. – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 > **Switzerland:** Tarkett AG, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380380 (44) 569 12 21 > **USA/Canada:** Tarkett Inc. USA – Tel. +1 713 869 5811 • Johnsonite – Tel. +1 440 543 8916 > **Tarkett International:** Tel. +49 6233 811 755 – Tel. +33 41 20 41 01