

## UNIPLAY ADANTES

---

### PRODUCT INFORMATION



<b>Name</b>	UniPlay Adantes	<b>Description</b>	
<b>Product #</b>	8009189	<b>Product # (old)</b>	408189
<b>Anchoring</b>	Sunken Foundation	<b>Colour</b>	Nature-Brown Post
<b>Age</b>	2-12	<b>Price</b>	Contact HAGS
<b>Assembly time</b>	23 hours	<b>Weight</b>	771.4 kg
<b>Volume</b>	5.79 m <sup>3</sup>	<b>Safety Area</b>	49 m <sup>2</sup>
<b>Length</b>	5200 mm	<b>Safety Area Length</b>	8800 mm
<b>Width</b>	5600 mm	<b>Safety Area Width</b>	9100 mm
<b>Height</b>	3300 mm	<b>Fall height</b>	2300 mm

---

### IMAGES









## PLAY FUNCTIONS



### **HPL Slide**

MODULAR DIMENSIONS: 1.00 m, width 0.45 m. MATERIALS: HPL sides. Design-rolled stainless steel walkway. Sound dampened by oil-hardened masonite.



### **Amble Ladder**

MODULAR DIMENSIONS: 2.00 m. MATERIALS: Hot-galvanised chain coated with solid polyurethane. Extruded aluminium steps secured with a ball-shaped polyamide component. Galva-nised and powder-lacquered tubular steel/attachment rail. Also available without an attachment fitting.

**Letter Game**

DIMENSIONS: Length 0.40 m, height 0.10 m. MATERIALS: Galvanised and powder-lacquered steel plate frame. Polyamide game rollers with letter marking.

**Balcony**

MODULAR DIMENSIONS: 1.00 m. HEIGHT OF BALCONY: 0.70 m and 0.90 m. MATERIALS: Galvanised and powder-lacquered steel frame. Floor made from EkoGrip or aluminium.

**Shop**

MATERIALS: Phenol film-coated plywood or HPL. Galvanised and powder-lacquered steel plate frame.

**Ball Post**

MODULAR DIMENSIONS: 1.00 m. MATERIALS: Manufactured from galvanised and powder-lacquered tubular steel. Microcell-polyurethane foam balls.

**Steps**

MODULAR DIMENSIONS: 1.00 m. MATERIALS: Grey, powder-lacquered steel sides and robust EkoGrip steps.

**Telescope**

DIMENSIONS: Ø 130 mm, length 240 mm. MATERIALS: Plastic telescope, galvanised and powder-lacquered steel plate frame.

**Climbing Wall**

MATERIALS: A phenol film-coated plywood or HPL wall with synthetic material grips. Electro-galvanised and powder-lacquered steel brackets.

**MATERIAL**

Material	kg	%
Polypropylene (PP)	0.006	0
Polyester	0.0392	0
Zink (electro-galvanised)	0.9026	0.09
Polyethylene (PE)	0.7508	0.07
Polyurethane solid (PUR)	0.8694	0.08

Zink (hot-galvanised)	0.7272	0.07
Aluminium	3.8023	0.37
Fibreboard	4.424	0.43
Polyurethane foam/flex	8.4	0.81
Stainless steel	12.2032	1.18
Rubber	14.239	1.37
Polyamide (PA)	9.794	0.95
Plywood	23.3386	2.25
HPL	70.5773	6.81
Recycled thermoplastics	71.195	6.87
Pine	199.873	19.3
Concrete	236	22.79
Steel	378.526	36.55
Cast iron	0.2	0.02
	1035.9 kg	100%