

# Laminate flooring

The best  
alternative  
to wood



## The best alternative to wood

Crafted with meticulous attention to detail, our new Laminate flooring this collection combines elegance and functionality. Designed in Europe and produced in Germany, Tarkett's Laminate flooring embodies the brand's renowned expertise, guaranteeing unmatched quality and performance.

With 5 new collections, Tarkett's Laminate flooring seamlessly merges durability and design excellence, offering a palette of 47 unique décors and four plank sizes to transform your living and hotel spaces according to your vision. From the timeless charm of herringbone patterns, adding luxury and warmth to your home or hotel rooms, to the contemporary allure of long and wide planks for architectural spaces, our collection caters to every preference and style.

Beyond its aesthetic appeal, our collections boasts remarkable durability. The protective layer ensures high resistance to scuffs, scratches, and stains, maintaining the floor's beauty for years to come. Perfect for family life, our Laminate flooring can withstand the demands of small children, playful pets or heels, making it a wise and enduring investment.

Experience hassle-free installation, thanks to the user-friendly click systems, saving you time and effort.

For added versatility, explore our water-resistant ranges that seamlessly fuse style with practicality, offering a flooring solution built to withstand daily demands.

Embracing sustainability, our PEFC certification underscores our commitment. Responsibly sourced from managed forests and controlled sources, All Laminate collections are sourced from responsibly managed forests and controlled sources, promoting a greener future while preserving the timeless beauty of natural wood in your home.

From entry-level to premium, find your perfect Laminate floor. Your taste, your needs, covered.



# Collection overview

---



Woodstock Sunningdale Oak Nature | 510051017

## Tarkett Laminate flooring

With 5 brand new collections offering 47 inspiring décors, your perfect laminate floor awaits. From timeless classics to modern styles, our floors cater to diverse interior preferences. Whether for family homes or cosy hotel rooms, our different plank formats complement any space, fulfilling everyone's interior home-decoration needs. Embrace practicality with water-resistant ranges and experience hassle-free installation with the 5G click system. Crafted with a high-density core board, our Laminate endures the rigors of daily life, making it ideal for kitchens and beyond. Unlock the essence of lifelike wood designs, creating a harmonious blend of nature and modernity. Elevate your space with our Laminate flooring.



**Woodstock** makes you experience nature's allure with lifelike textures, classic designs, and easy 5G click installation.



**Woodstock Herringbone** offers the timeless elegance of its classic design, bringing a touch of sophistication to any room.



**Woodstock Longboards** creates an impactful sense of space thanks to two-meter-long planks, evoking the majestic feel of real hardwood floors. Easy to install thanks to 5G click system.



**Easy Line** is the perfect blend of style and functionality: durable, beautiful, water resistant thanks to Uniclic® installation.



**Woodstock AquaBlock** combines water-resistant functionality with authentic aesthetics. The innovative AquaBlock system ensures a water-repellent and water-resistant floor. Endowed with Uniclic® installation system and a reinforced HDF board.

Woodstock



Pristine Oak Grey | 510038023

Sunningdale Oak Nature | 510051017



Brume Oak Beige | 5100510019



Aurora Oak White | 510038015



Brook Oak Brown | 510039024


Woodstock Herringbone



Verona Oak Sand | 510045027



Chester Oak Light | 510045025



Toulouse Oak Brown | 510045026

Woodstock Longboards



Summit Oak Cream | 510046053

Birkdale Oak Bronze | 510046050



Chatillon Oak Sand | 510048048

Easy Line



Kingsley Oak Brown | 510037007

Merion Oak Brown | 510037008



Empire Oak Grey | 510037001



Turnberry Oak Nature | 510037002

Woodstock AquaBlock



Colmar Oak White | 510042031

Idyllic Pine Nature | 5100449028



Magari Walnut Brown | 510042036



Swinley Oak Beige | 510042040

# Design overview

## Woodstock

Usage class 32 | Thickness 8 mm | Dimensions 1380 x 193 mm | Bevel 0V | 4V



**Aurora Oak Dawn**  
510038021



**Jura Oak Gold**  
510038016



**Aurora Oak White**  
510038015



**Jura Oak Platin**  
510038018



**Brook Oak Brown**  
510039024



**Pristine Oak Grey**  
510038023



**Brook Oak Nature**  
510039022



**Sunningdale Oak Nature**  
510051017



**Brume Oak Beige**  
510051019



**Swinley Oak Beige**  
510038020

## Woodstock Herringbone

Usage class 32 | Thickness 8 mm | Dimensions 665 x 133 mm | Bevel 4V



**Chester Oak Light**  
510045025



**Verona Oak Sand**  
510045027



**Toulouse Oak Brown**  
510045026

## Woodstock Longboards

Usage class 33 | Thickness 10 mm | Dimensions 1845 x 244 mm | Bevel 4V



**Birkdale Oak Bronze**  
510046050



**Summit Oak Cream**  
510046053




**Chatillon Oak Brown**  
510048051



**Summit Oak Grey**  
510046046



**Chatillon Oak Sand**  
510048048



**Summit Oak Titan**  
510046054



**Nomad Oak Light**  
510048052



**Summit Oak White**  
510046047



## Easy Line

Usage class 32 | Thickness 8 mm | Dimensions 1380 x 191 mm | Bevel 4V



**Aberdeen Oak Brown**  
510037014



**Merion Oak Brown**  
510037008



**Empire Oak Nature**  
510037004



**Reno Oak White**  
510037011



**Empire Oak Grey**  
510037001



**Sierra Oak Beige**  
510037003



**Empire Oak Titan**  
510037012



**Sierra Oak Brown**  
510037010



**Kingsley Oak Beige**  
510037005



**Turnberry Oak Brown**  
510037009



**Kingsley Oak Brown**  
510037007



**Turnberry Oak Nature**  
510037002



**Kingsley Oak Grey**  
510037006



**Turnberry Oak Tan**  
510037013

## Woodstock AquaBlock

Usage class 32 | Thickness 8 mm | Dimensions 1380 x 191 mm | Bevel 4V



**Belfort Oak Brown**  
510042041



**Paguera Oak Beige**  
510042032



**Belfort Oak Nature**  
510042030



**Porto Oak Sand**  
510042029



**Colmar Oak Nature**  
510042035



**Prestwick Oak Grey**  
510042039



**Colmar Oak White**  
510042031



**Prestwick Oak Nature**  
510042038



**Idyllic Pine Nature**  
510049028



**Sheffield Oak Autumn**  
510043034



**Jura Oak Gold**  
510042037



**Sheffield Oak Spring**  
510043033



**Magari Walnut Brown**  
510042036




**Swinley Oak Beige**  
510042040

# Delight in the design details

## Finishes & embossing

Indulge in the allure of a sleek and modern matte finish that effortlessly mimics the elegance of real hardwood flooring. With its authentic embossing, laminate flooring brings the timeless charm of hardwood to your space, all while providing durability and easy maintenance for the perfect combination of style and practicality.




### Replicate the natural

Direct printing for laminate flooring offers high-definition decorative layers that authentically replicate the look and feel of real wood, providing a natural and convincing appearance.



### Attention to detail

Embossing-in-register, featured on most of our designs, enhances laminate flooring with realistic textures, elevating the visual appeal and providing a genuine hardwood experience, making your space truly exceptional.



### Digital printing

Discover our advanced digital printing technology, enabling us to reveal the most subtle details of wood décor, each plank boasting a unique grain that covers an impressive 10 m<sup>2</sup> without repetition.

## Bevelling



### No bevel

- Seamless appearance: No bevels create a smooth and seamless surface, the room appear more spacious, perfect for smaller areas or open floor plans.
- Easy cleaning: Cleaning becomes hassle-free as dirt has fewer crevices to accumulate.
- Enhanced versatility: Easy transitioning between rooms and a more cohesive design throughout your home



### 4-sided bevel

- Realistic appearance: 4 bevels create a defined separation, mimicking genuine hardwood flooring.
- Depth and dimension: Bevels add texture and authenticity to the laminate, elevating its look.
- Visual interest: Distinct bevels add character, making it a room focal point

## Board formats

With your Tarkett Laminate flooring, get total design flexibility with 4 different plank formats. From creating a timeless herringbone style with small planks to accentuating your room's volume with long and wide planks, discover the perfect fit for your unique style.



**1845 x 244 mm**  
Woodstock Longboards



**1380 x 193 mm**  
Woodstock



**1380 x 191 mm**  
Easy Line  
Woodstock AquaBlock



**665 x 133 mm**  
Woodstock Herringbone

# Laminate

## The premium interpretation of realistic wood

Experience the embodiment of durability and natural elegance with Laminate flooring, an inspirational and affordable alternative to traditional hardwood floors. Replicating the textures of wood flooring, it brings the charm of natural materials into any interior space.

From stylish kitchens to spacious living rooms, from airy lofts to rustic dining areas or cosy hotel rooms, Laminate gracefully complements every setting. Its diverse collection of authentic décors, ranging from on-trend solid woods to light Scandinavian designs, ensures a seamless match for your unique space.

Discover our Laminate flooring collections.


### The ideal ranges for residential spaces

- Easy Line
- Woodstock
- Woodstock AquaBlock
- Woodstock Herringbone

### Enhanced durability

- Woodstock Longboards

Explore our premium laminate flooring collection, offering Class 32 for residential spaces, providing elegance and endurance for busy households. And Class 33 for commercial-grade durability ideal for light commercial traffic areas, such as hotel rooms. With various formats, finishes, and bevels, we cater to diverse customer needs, ensuring long-lasting beauty and functionality.



## Laminate composition

- ① Highly resistant protective surface**  
Innovative surface protection for durability and better cleanability. Embossing to give a more realistic textured surface for a sophisticated decorative effect.
- ② Premium decorative layer**  
To allow a wide variety of very detailed designs and beautiful colours and patterns.
- ③ High density core board for better resistance**  
High density fiberboard (HDF) produced from more than 80% wood to provide exceptional structural strength, high resistance and stability.
- ④ Highly stable balancing layer**  
Protection of the core board from moisture to guarantee better dimensional stability.



# Innovative click systems

Our various click systems offer user-friendly advantages, streamlining installation for both end-users and professionals. Their intuitive designs ensure easy and fast assembly, eliminating the need for complex tools. Each collection features a special click system tailored to your needs, ensuring a seamless and efficient flooring upgrade.



5G

The 5G click system provides a fast and easy installation for laminate flooring, ensuring a hassle-free experience.

- Woodstock
- Woodstock Longboards



UniClic®  
(Unilin Patent)

UniClic® system offers a seamless installation with interlocking planks, allowing water-resistant functionality.

- EasyLine
- Woodstock AquaBlock



Herringbone  
click

A specific click system for the Woodstock Herringbone collection allows you to create a timeless and elegant finish in your room.

- Woodstock Herringbone



# Water resistance on Easy Line

---

The Easy Line collection comes with an innovative Unilin click locking system, ensuring a strong and secure connection, preventing gaps and spaces between planks, for better floor stability. The secure interlocking mechanism not only reduces movement but also fortifies its water-resistant properties. The range is ideally suited for dry areas like living rooms, bedrooms and dining rooms, where the risk of water exposure is minimal. Durable, beautiful, and water-resistant, the Easy Line collection offers a reliable flooring solution for any installation.



Easy Line Kingsley Oak Brown | 510037007



# Water resistance on Woodstock AquaBlock

Discover the Woodstock AquaBlock, a testament to innovation and resilience. With its cutting-edge system, the range is water-repellent, water-resistant, and highly durable, making it ideal for both family homes and professional spaces like hotel rooms.

The force-fit locking system and swell-resistant mounting board ensure steadfast installations. AquaBlock's impressive capability to withstand liquids makes it perfect for bustling family environments, offering peace of mind with children and pets around.

## Main benefits:

- **Waterproofing:** Water repellence provides a protective barrier, preventing water from soaking into the material for up to 24 hours.
- **Stain resistance:** Water repellent surfaces are less prone to stains.
- **Often more durable than standard laminate:** The additional water-resistant features protect the core material from moisture-related wear and tear.
- **Better protection against water damage compared to standard laminate:** Excellent choice for areas prone to spills, humidity, or potential water exposure such as kitchens and entryways.



Woodstock AquaBlock Swinley Oak Beige | 510042040

# Easy installation

---

Our laminate flooring requires minimal subfloor preparation, as it can be installed over existing floors, such as wood, concrete, or tile, saving you hassle.


## Compatible with underfloor heating systems

All our collections are suitable for installation over an underfloor heating system. Its dense construction allows it to efficiently conduct heat, creating a warm and cosy environment in your home, ensuring your space remains comfortably heated. Enjoy the perfect combination of comfort and style with laminate flooring and underfloor heating, making your home a welcoming oasis in any season.

**You can install and start using Tarkett laminate on the same day!**


## Adapt your laying after the room

Since Laminate flooring is made to imitate real wood flooring, you should lay your Laminate planks in the same way you would real wood planks or boards. If the room is rectangular, you should lay the planks parallel to the longer wall, and if the room is square, you should lay the planks towards the primary source of light. If you're installing Laminate in a corridor, lay the planks along the length of it. Bigger rooms can handle long and wide planks that emphasizes the space.




## Choosing your pattern

With our new Tarkett Laminate flooring collections, you have the freedom to choose from various plank formats for your room. Alternatively, opt for classic patterns like Woodstock Herringbone, evoking a timeless feeling of elegance and warmth.



Refer to installation instructions & warranties for detailed information on our website:



<https://eqrcode.co/a/laminate>

# Accessories

---

For an optimal finish, our Laminate range includes skirtings and various other accessories including underlayers which benefit is a significant reduction in floor impact noise, achieving an average acoustic rating of 19 dB.

**For more details please contact your local Tarkett representative.**



Woodstock AquaBlock Paguera Oak Beige | 510042032

# Care & maintenance

---

## A hassle-free maintenance

Easy to clean means easy to maintain:

- Hard sealed surface with a stain-resistant overlay making our Laminate floorings very easy to clean: a vacuum and a damp mop with mild detergent are all they need.
- Tight locking system preventing dust and dirt from collecting between the boards.
- Dirt-repellent melamine resin surface as an excellent barrier against the growth or spread of germs, contributing to a healthier home environment in every living space.



Woodstock AquaBlock Sheffield Oak Spring | 510043033

When applied regularly, these tips will help keep your floor looking as good as the day you laid it:

- Daily: wipe or vacuum.
- Once a week or more: wipe the floor with a damp mop or a cloth moistened with warm water and a neutral detergent.
- Whenever necessary: remove dust with a broom or vacuum cleaner to avoid dust and dirt build-up.
- It is advisable not to let the water station on the floor for a long time. For the Woodstock Aquablock collection, liquid can be still up to 24 hours.



Woodstock Herringbone Toulouse Oak Brown | 510045026

# Woodstock



Sunningdale Oak Nature | 510051017

Our Woodstock range features advanced embossing techniques, creating remarkably realistic textures that offer an authentic experience akin to natural wood materials. In this collection, you'll discover classic wood designs, boasting both calm and rustic expressions. Moreover, the fast and easy new 5G click system allows you to enjoy your new flooring in just a few simple steps.

Usage class:



Technical informations:



Recommended rooms:




**Aurora Oak Dawn**  
510038021



**Aurora Oak White**  
510038015



**Brook Oak Brown**  
510039024



**Brook Oak Nature**  
510039022



**Brume Oak Beige**  
510051019



**Jura Oak Gold**  
510038016



**Jura Oak Platin**  
510038018



**Pristine Oak Grey**  
510038023



**Sunningdale Oak Nature**  
510051017



**Swinley Oak Beige**  
510038020



# Woodstock Longboards



Chatillon Oak Sand | 510048048

Discover the refinement of two-meter-long planks in our Woodstock Longboards range, perfect for large rooms, creating an impactful sense of space. Embrace the architectural beauty as these long planks accentuate your room's volumes, evoking the majestic feel of real hardwood floors. With a robust 10 mm thickness, the click profile ensures durability. Experience hassle-free installation with the fast and easy 5G click system.

Usage class:



Technical informations:



Recommended rooms:





**Birkdale Oak Bronze**  
510046050



**Chatillon Oak Brown**  
510048051



**Chatillon Oak Sand**  
510048048



**Nomad Oak Light**  
510048052



**Summit Oak Cream**  
510046053



**Summit Oak Grey**  
510046046



**Summit Oak Titan**  
510046054



**Summit Oak White**  
510046047



# Easy Line



Sierra Oak Beige | 510037003

Explore our Easy Line range, where beautiful designs meet water-resistant practicality. Experience the allure of classic hardwood floor designs, enriched with modern and rustic expressions. With enhanced visual and tactile qualities, it mimics the elegance of natural wood materials. Durable, beautiful, and water-resistant, it's the ideal flooring solution. Discover the perfect blend of style and functionality with Easy Line.

Usage class:



Technical informations:



Recommended rooms:



**Aberdeen Oak Brown**  
510037014



**Empire Oak Grey**  
510037001



**Empire Oak Nature**  
510037004



**Empire Oak Titan**  
510037012



**Kingsley Oak Beige**  
510037005



**Kingsley Oak Brown**  
510037007



**Kingsley Oak Grey**  
510037006



**Merion Oak Brown**  
510037008



**Reno Oak White**  
510037011



**Sierra Oak Beige**  
510037003



**Sierra Oak Brown**  
510037010



**Turnberry Oak Brown**  
510037009



**Turnberry Oak Nature**  
510037002



**Turnberry Oak Tan**  
510037013



# Woodstock AquaBlock



Belfort Oak Brown | 510042041

The Woodstock AquaBlock collection combines water-resistant functionality with authentic aesthetics. The innovative AquaBlock system ensures a water-repellent and liquid-resistant floor, making it ideal for family-friendly spaces and easy cleaning. To enhance the lifelike wood designs, we employ the Embossed-in-Register (EIR) technology, perfectly matching the texture with the décor pattern, providing an incredibly authentic look and feel.

Usage class:



Technical informations:



Recommended rooms:




**Belfort Oak Brown**  
510042041



**Belfort Oak Nature**  
510042030



**Colmar Oak Nature**  
510042035



**Colmar Oak White**  
510042031



**Idyllic Pine Nature**  
510049028



**Jura Oak Gold**  
510042037



**Magari Walnut Brown**  
510042036



**Paguera Oak Beige**  
510042032



**Porto Oak Sand**  
510042029




**Prestwick Oak Grey**  
510042039



**Prestwick Oak Nature**  
510042038



**Sheffield Oak Autumn**  
510043034



**Sheffield Oak Spring**  
510043033



**Swinley Oak Beige**  
510042040



# Woodstock Herringbone




Verona Oak Sand | 510045027

Introducing our inspirational Woodstock Herringbone collection, where luxury and warmth meet in a timeless herringbone pattern. Embrace the timeless elegance of this classic design, bringing a touch of sophistication to any room. Experience the perfect blend of a herringbone floor's classic look with the practicality of laminate flooring using our new laying technique. With no compromise on quality and luxury, transform any room into a contemporary style.


**Chester Oak Light**  
510045025



**Toulouse Oak Brown**  
510045026



**Verona Oak Sand**  
510045027



Usage class:



Recommended rooms:



Technical informations:





PHOTOGRAPHY

# Technical information

		Woodstock	Woodstock Herringbone
<b>Classification</b>		<b>Norm</b>	
Product type	EN 13329	Laminate floor covering	Laminate floor covering
Class of Use	EN 13329	23-32	23-32
HDF core board density	EN 323	≥ 800 kg/m <sup>3</sup>	≥ 800 kg/m <sup>3</sup>
Locking system		5G	Laying profile
<b>Technical Characteristics</b>			
Format	EN 13329 Annex A	Plank	Herringbone
Dimensions	EN 13329 Annex A	1380 x 193 mm	665 x 133 mm
Complete thickness	EN 13329 Annex A	8 mm	8 mm
Coreboard thickness	EN 13329 Annex A	8 mm	8 mm
Board water resistant	ISO 4760:2022-5	No	No
Click water resistant	ISO 4760:2022-5	No	No
Bevel		4V (No bevels for the 3-strip and 2-strip designs)	4V
Embossing in register		Yes, depending on references	Yes on full range
<b>Performance for CE Marking</b>			
Declaration of Performance	EN 14041	0132-0091-DoP-2023-06	0132-0091-DoP-2023-06
Reaction to fire	EN 14041	Cfl-s1	Cfl-s1
Slip resistance	EN 14041	DS	DS
Thermal resistance (in m <sup>2</sup> .K/W)	EN 14041	0,06 m <sup>2</sup> K/W	0,05 m <sup>2</sup> K/W
Content of Pentachlorophenol	EN 14041	< 5 ppm	< 5 ppm
Formaldehyde emission	EN 14041	E1	E1
<b>Technical Performance</b>			
Abrasion resistance	EN 13329, annex E	AC4	AC4
Impact resistance	EN 13329, annex H	Big ball: ≥ 750 mm Small ball: ≥ 35 mm	Big ball: ≥ 750 mm Small ball: ≥ 35 mm
Resistance to staining	EN 438	Group 1 + 2: level 5 Group 3: level 4	Group 1 + 2: level 5 Group 3: level 4
Effect of furniture leg	ISO 16581	No damage	No damage
Effect of castor chair	ISO 4918	No damage after 25000 cycles	No damage after 25000 cycles
Underfloor heating		Maximum 27°C	Maximum 27°C
Thickness swelling	ISO 24336	≤ 18%	≤ 18%
Light fastness	NF EN 20105-A02	≥ 4	≥ 4
Residual indentation	EN ISO 24343-1	≤ 0,05 mm	≤ 0,05 mm
Surface soundness	EN 13329, annex D	> 1,25 N/mm <sup>2</sup>	> 1,25 N/mm <sup>2</sup>
Reduction of transmission sound	ISO 10140-3		
Water resistance	ISO 4760:2022-5		
<b>Sustainability, Environment &amp; Indoor Air Quality</b>			
PEFC certification		Yes	Yes
French VOC rating	ISO 16000	A+	A+
TSVOC	ISO 16000	≤ 100 µg/m <sup>3</sup> after 28 days	≤ 100 µg/m <sup>3</sup> after 28 days
Carb 2 compliance	EN 16516	Yes	Yes
<b>Logistics Information</b>			
Planks/box		8 planks/box	14 planks / box
Sqm/box		2,131 m <sup>2</sup> /box	1,238 m <sup>2</sup> /box
Weight/box		15 kg	9 kg



Woodstock Longboards	Easy Line	Woodstock Aquablock
Laminate floor covering	Laminate floor covering	Laminate floor covering
23-33	23-32	23-32
≥ 800 kg/m <sup>3</sup>	≥ 900 kg/m <sup>3</sup>	≥ 900 kg/m <sup>3</sup>
5G	Uniclic	Uniclic
Long board	Plank	Plank
1845 x 244 mm	1380 x 191 mm	1380 x 191 mm
10 mm	8 mm	8 mm
10 mm	8 mm	8 mm
No	No	Yes
No	Yes	Yes
4V	4V	4V
Yes, depending on references		Yes, depending on references
0132-0091-DoP-2023-06	0132-0091-DoP-2023-06	0132-0091-DoP-2023-06
Cfl-s1	Cfl-s1	Cfl-s1
DS	DS	DS
0,08 m <sup>2</sup> K/W	0,06 m <sup>2</sup> K/W	0,06 m <sup>2</sup> K/W
< 5 ppm	< 5 ppm	< 5 ppm
E1	E1	E1
AC5	AC4	AC5
Big ball: ≥ 1000 mm Small ball: ≥ 70 mm	Big ball: ≥ 750 mm Small ball: ≥ 35 mm	Big ball: ≥ 750 mm Small ball: ≥ 35 mm
Group 1 + 2: level 5 Group 3: level 4	Group 1 + 2: level 5 Group 3: level 4	Group 1 + 2: level 5 Group 3: level 4
No damage	No damage	No damage
No damage after 25000 cycles	No damage after 25000 cycles	No damage after 25000 cycles
Maximum 27°C	Maximum 27°C	Maximum 27°C
≤ 15%	≤ 18%	≤ 18%
≥ 4	≥ 4	≥ 4
≤ 0,05 mm	≤ 0,05 mm	≤ 0,05 mm
> 1,25 N/mm <sup>2</sup>	> 1,25 N/mm <sup>2</sup>	> 1,25 N/mm <sup>2</sup>
		No water leakage after 24 hours
Yes	Yes	Yes
A+	A+	A+
≤ 100 µg/m <sup>3</sup> after 28 days	≤ 100 µg/m <sup>3</sup> after 28 days	≤ 100 µg/m <sup>3</sup> after 28 days
Yes	Yes	Yes
4 planks/box	8 planks/box	8 planks/box
1,80 m <sup>2</sup> /box	2,109 m <sup>2</sup> /box	2,109 m <sup>2</sup> /box
16 kg	15,5 kg	16 kg



■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH - Tel. +43 17 16 440 ■ Belgium: Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S - Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy - Tel. +358 9 4257 9000 ■ France: Tarkett SAS - Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH - Tel. +49 621 681 723 00 ■ Greece: Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. - Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA - Tel. +352 949 211 8804  
 ■ Netherlands: Tarkett BV - Tel. +31 416 685 491 ■ Norway: Tarkett AS - Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA - Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB - Tel. +46 771 25 19 00  
 ■ Switzerland: Tarkett Holding GmbH - Tel. +41 432 337 924 ■ Turkey: Tarkett Aspen - Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics - Tel. +370 37 262 220  
 ■ Czech Republic: Tarkett org. slozka - Tel. +420 271 001 600 ■ Hungary: Tarkett Polska Sp. z o.o. magyarorszagfi fioktelepe - Tel. +36 1 437 8150 ■ Kazakhstan: Astana, Tarkett KAZ - Tel. +77172790099 ■ Poland: Tarkett Polska Sp. z o. o. - Tel. +48 22 16 09 231 ■ Slovakia: Tarkett Polska, organizacna slozka - Tel. +421 2 48291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA - Tel. +38 (0) 44 35 45 621 ■ **ASIA AND OCEANIA:**  
 Australia: Tarkett Australia Pty Ltd - Tel. +61 2 88 5312 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited - Tel. +852 2511 8716 ■ India: Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 4130 3793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International - Tel. +33 1 41 20 41 01  
 ■ **MIDDLE EAST:** Tarkett Middle East - Tel. +961 1 51 3363/4 ■ Israel: Tarkett International - Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. - Tel. +1 450 293 173  
 ■ **LATIN AMERICA:** Brazil: Tarkett Brasil - Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett Latam - Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Mexico - Tel. +55 11 98410 9310

Designs and photos used in this brochure are for illustration purposes only. Images are not contractual images and do not stand for product recommendation. Due to evolution of standards, characteristics indicated in the text and images are not binding only after confirmation by our departments.

Design: Tarkett Internal Agency / Photos & 3D: EVO - Studio 3D - Getty Images - Shutterstock Images  
[home.tarkett.com](http://home.tarkett.com)

