

Woodstock PRO 833

Datasheet

| Classification | Norm | Tarkett Value |
|-----------------------------------|---|---------------------------------|
| Product type | EN 13329 | Laminate floor coverings |
| Domestic classification | EN 13329 | 23 Heavy |
| Commercial classification | EN 13329 | 33 Heavy |
| HDF core board density | EN 323 | 900 kg/m ³ |
| Technical Characteristics | Norm | Tarkett Value |
| Total thickness | EN 13329 - Annex A | 8 mm |
| Total weight | | 7,26 kg/m ² |
| Bevelled edges | | 4 sides |
| Installation method | | Click |
| Performance for CE Marking | Norm | Tarkett Value |
| Declaration of Performance # | EN 14041 | 0132-0078-DoP-2021-08 |
| Reaction to fire | EN 14041 | Cfl-s1 |
| Slip resistance | EN 14041 | Class DS ($\mu \geq 0,30$) |
| Electrostatical propensity | EN 14041 | Antistatic (≤ 2 kV) |
| Thermal resistance | EN 14041 | $\leq 0,15$ m ² •K/W |
| Content of Pentachlorophenol | EN 14041 | < 5 ppm |
| Formaldehyde emission | EN 14041 | E1 |
| Technical Performance | Norm | Tarkett Value |
| Abrasion resistance | EN 13329, annex E | AC5 |
| Impact Resistance Big Ball | EN 13329, annex H | ≥ 750 mm |
| Impact Resistance Small Ball | EN 13329, annex H | ≥ 12 N |
| Stain resistance - groups 1 and 2 | EN 438 | Level 5 |
| Stain resistance - group 3 | EN 438 | Level 4 |
| Furniture leg | ISO 424 | No damage |
| Castor chair | EN 425 (Type W) | No damage |
| Thickness Swelling | ISO 24336 | ≤ 15 % |
| Colour fastness to light | EN 13329 | ≥ 4 |
| Surface Soundness | EN 13329, annex D | ≥ 1.25 N/mm ² |
| Sustainability performances | Norm | Tarkett Value |
| Emissions label | | A+ |
| PEFC | | Yes |
| RTS emission class | | M1 |
| CARB II Compliant | | Yes |
| Dimensions and designs | | |
| Plank | Plank 1292x193mm - 8 planks=1,995 m ² /box - 60 boxes/pallet | |
| Number of designs available | 5 | |



The above information is subject to modification for the benefit of further improvement (29/01/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.