

Premium Range

HOMOGENEOUS VINYL FLOORS

SUPPORTING THE SPACES THAT MATTER

Tarkett's Premium Range is a homogeneous vinyl flooring solution, designed for schools, public buildings, healthcare facilities and care homes that nurture and protect us throughout our lives.

As we pass through these busy spaces, the Premium Range serves as an enduring and trustworthy partner – striving for reliability underfoot and improved hygiene within the space. Highly durable yet simple to clean and maintain, it's a floor that asks little, but gives much.

Ever dependable, always reliable. Supporting the spaces that matter.

ECLIPSE PREMIUM SPIRIT 21020 683

ECLIPSE PREMIUM SPIRIT 21020 728





ECLIPSE PREMIUM CLASSIC 21020 097
ECLIPSE PREMIUM SPIRIT 21020 969
ECLIPSE PREMIUM SPIRIT 21020 970



Surface Performance

The Premium Range is built to handle whatever the day brings.

Its new Premium Pro surface treatment offers a strong layer of surface protection for high-traffic areas, allowing for easier maintenance and an improved level of resistance to stains, scratches and chemicals.

When it comes to installation, the Premium Range is a highly flexible solution that gives perfect coving results, ensuring overall hygiene and easy maintenance.

Supporting the spaces that matter, every single day.

Colour and Design


The Premium Range boasts an extensive selection of 86 modern hues, blending rich neutrals and vibrant contemporary shades within its two collections: Eclipse Premium and Primo Premium.

Eclipse Premium is available in 56 colours across two design variations, Classic and Spirit. Classic combines light and dark shades to create high-contrast impact, while Spirit provides a subtler low-contrast design in a palette of warm and cold neutrals and fresh hues. Primo Premium, in its spectrum of 30 easy-to-combine shades, uses neutral-coloured accents, ideal for high traffic areas.


Each design is infused with non-directional patterns so you can skillfully guide the emotional temperature and functionality of each space – whatever its use.

Our uniquely-designed multi-coloured welding rods are available in all 86 colours from the range, enhancing the many design possibilities. Whether your space requires pattern, colour blocking, or wayfinding between zones, the Premium Range's superior welding rods provide a seamless appearance for a perfect flooring finish, and create an impervious surface for maximum hygiene and ease of maintenance.

PRIMO SD 21012 646
PRIMO PREMIUM 21010 743
ECLIPSE PREMIUM SPIRIT 21020 975
PRIMO PREMIUM 21010 744



Multifunctional Design



The Premium Range integrates design and functionality, allowing you to create attractive, contemporary spaces that never compromise on performance – whatever the needs of your space.

Our multifunctional options, Primo Safe.T and Primo SD, are each engineered to meet specific safety and technical demands while maintaining a cohesive aesthetic within the broader range.

In 8 core colours, co-ordinated with the overall Premium Range, our multifunctional options provide acoustic solutions for impact sound reduction, ESD solutions for static dissipation, and enhanced slip resistance options. Meeting the needs of any room, however demanding.



ECLIPSE PREMIUM CLASSIC 21020 055
PRIMO PREMIUM 21010 626
ECLIPSE PREMIUM SPIRIT 21020 732
ECLIPSE PREMIUM SPIRIT 21020 786
ECLIPSE PREMIUM SPIRIT 21020 963


People and Planet

ECLIPSE PREMIUM SPIRIT 21020 687
ECLIPSE PREMIUM SPIRIT 21020 728
PRIMO PREMIUM 21010 661
ECLIPSE PREMIUM SPIRIT 21020 732
ECLIPSE PREMIUM SPIRIT 21020 786


We believe design and technical performance should never come at the expense of human or planetary wellbeing.

That's why the Premium Range has been designed to offer optimal indoor air quality, with ultra-low VOC emission levels below 10 µg/m³ – beating the world's most stringent standards. The range is also FloorScore® Certified and phthalate-free, contributing to a healthier space for everyone who uses it.

The Premium Range is produced in Europe and contains on average 25% recycled material, including post-use flooring. At the end of its life, it can be returned to our factory in Ronneby, Sweden, where the flooring is granulated, washed, dried and safely recycled into the next generation of flooring – saving resources and closing the loop.



The Premium Range



The Premium Range combines functionality, design and environmental performance. Apart from Tarkett's iQ range, it boasts the market's largest homogeneous vinyl offering in non-directional patterns.

The Premium Range's palette of 86 colours across Eclipse Premium and Primo Premium is a feast for the eyes, where joyful hues enliven the senses and subtle tones whisper harmony and peace.

Designs in plain and contrast colour combinations allow for mix and match solutions, creating unique atmospheres and dynamic styles throughout your environment.

With enhanced durability and simplified maintenance, the Premium Range is an ideal choice for high footfall settings such as schools, public buildings, healthcare facilities and care homes.

PRIMO PREMIUM 21010 637
ECLIPSE SPIRIT 21020 979



Premium: At a Glance

SURFACE PERFORMANCE

- Premium Pro surface treatment increases durability, resistance to heavy traffic and ease of cleaning
- Improved stain resistance
- High Traffic Resistance with residual indentation 0.03 mm ¹
- Impenetrable heat welding joints; when stretched, resist over 400 N force per 50 mm (ISO 16906)
- Highly flexible solutions for perfect coving results, ensuring easy and improved maintenance, and overall hygiene

COLOUR AND DESIGN

- 86 colours in 3 different designs
- Unique multicoloured welding rods for a realistic and seamless look when installed
- Light fastness ≥ 7 for the standard range

MULTIFUNCTIONAL DESIGN

- Static dissipative with Primo SD in 8 matching colours
- Enhanced slip resistance with Primo Safe T. in 8 matching colours
- Acoustic offer for 8 references with Primo Premium

PEOPLE & PLANET

- Ultra-low VOC emissions below $10 \mu\text{g}/\text{m}^3$ ²
- FloorScore® Certified
- 100% Phthalate-free
- ISO Class 4 cleanroom certified
- Does not contain biocides, and does not favour bacteria growth
- Fulfills the highest requirement for surface decontamination (ISO 8690) with an Excellent rating
- Made in Europe

¹ Best measured value
² After 28 days

ECLIPSE PREMIUM CLASSIC 21020 053
ECLIPSE PREMIUM CLASSIC 21020 054



PRIMO PREMIUM 21010 637
ECLIPSE SPIRIT 21020 979






Beauty of Circularity

At Tarkett, our approach to circularity focuses on three key areas: design, materials and circular journey. For us, the Beauty of Circularity is about the beauty of the reused materials that go into our products, the innovative manufacturing processes we implement, and the knowledge that we're actively cutting down on waste and greenhouse gas emissions.

ECLIPSE PREMIUM CLASSIC 21020 055
 PRIMO PREMIUM 21010 626
 ECLIPSE PREMIUM SPIRIT 21020 732
 ECLIPSE PREMIUM SPIRIT 21020 786



Our Circular Carbon Footprint



To keep track of the carbon generated and saved over a product's lifecycle, we calculate and externally verify the Circular Carbon Footprint of our homogeneous vinyl ranges. We limit the use of virgin raw materials for new products and avoid common carbon-emitting options such as incineration and landfill at product end-of-life.

According to the EPD-IES-0001504.003, externally verified by LCA Support, based on the total carbon footprint (Modules A-D) with a closed loop circular recycling scenario facilitated through Tarkett's ReStart® recycling and take-back programme. For more information: premiumrange.tarkett.com

Sustainability Credentials

Cradle-to-Gate
Carbon Footprint:
3.78 kg CO₂ eq/m²

Circular Carbon
Footprint:
4.80 kg CO₂ eq/m²³

25%
recycled content
on average, including
post-consumer flooring

100%
recyclable

Closing the loop with
Tarkett's ReStart® programme




³ According to the EPD-IES-0001504:003, externally verified by LCA Support, based on the total carbon footprint (Modules A-D) with a closed loop circular recycling scenario facilitated through Tarkett's ReStart® recycling and take-back programme. For more information: premiumrange.tarkett.com



HO Premium Swatches

ECLIPSE PREMIUM SPIRIT



ECLIPSE PREMIUM SPIRIT



HO Premium Swatches


ECLIPSE PREMIUM CLASSIC




21020 059
NCS S 1515-Y60R / LRV 56%



21020 055
NCS S 1010-Y30R / LRV 69%



21020 056
NCS S 2020-Y30R / LRV 50%



21020 036
NCS S 2005-Y40R / LRV 55%



21020 061
NCS S 1502-Y50R / LRV 64%




21020 038
NCS S 1002-R / LRV 72%



21020 039
NCS S 2002-R50B / LRV 56%



21020 048
NCS S 2010-R80B / LRV 50%



21020 050
NCS S 2005-B20G / LRV 55%




21020 026
NCS S 2500-N / LRV 50%



21020 097
NCS S 2502-R50B / LRV 49%



21020 067
NCS S 3020-R80B / LRV 32%



21020 053
NCS S 2005-G20Y / LRV 55%




21020 040
NCS S 3500-N / LRV 39%



21020 035
NCS S 4000-N / LRV 34%



21020 049
NCS S 3030-R80B / LRV 27%



21020 054
NCS S 3030-G10Y / LRV 33%




21020 062
NCS S 5502-Y / LRV 22%




21020 012
NCS S 6502-B / LRV 15%

PRIMO SAFE.T




21013 790
NCS S 1002-R / LRV 72%




21013 791
NCS S 2002-R50B / LRV 56%



21013 794
NCS S 4000-N / LRV 34%



21013 795
NCS S 6502-B / LRV 15%



21013 642
NCS S 3030-R80B / LRV 27%



21013 800
NCS S 2005-Y40R / LRV 55%



21013 644
NCS S 2020-Y30R / LRV 50%




21013 643
NCS S 3030-G10Y / LRV 33%


PRIMO SD




21012 561
NCS S 2002-R50B / LRV 56%




21012 562
NCS S 4000-N / LRV 34%




21012 563
NCS S 6502-B / LRV 15%



21012 569
NCS S 3030-R80B / LRV 27%




21012 564
NCS S 1505-Y60R / LRV 62%



21012 565
NCS S 2005-Y40R / LRV 55%



21012 647
NCS S 2020-Y30R / LRV 50%




21012 646
NCS S 3030-G10Y / LRV 33%


Ⓐ REFERENCES AVAILABLE IN PRIMO ACOUSTIC

HO Premium Swatches

PRIMO PREMIUM



PRIMO PREMIUM



Ⓐ REFERENCES AVAILABLE IN PRIMO ACOUSTIC

ECLIPSE CLASSIC 21020 097
ECLIPSE SPIRIT 21020 969



FRONT COVER

PRIMO PREMIUM 21010 626
ECLIPSE PREMIUM SPIRIT 21020 732
ECLIPSE PREMIUM SPIRIT 21020 963

PAGE 10

ECLIPSE PREMIUM SPIRIT 21020 979
ECLIPSE PREMIUM SPIRIT 21020 733
ECLIPSE PREMIUM CLASSIC 21020 067
PRIMO PREMIUM 21010 637
PRIMO PREMIUM 21010 665
ECLIPSE PREMIUM SPIRIT 21020 734

PAGE 5

ECLIPSE PREMIUM SPIRIT 21020 459
ECLIPSE PREMIUM SPIRIT 21020 683
ECLIPSE PREMIUM SPIRIT 21020 687
PRIMO PREMIUM 21010 628
ECLIPSE PREMIUM SPIRIT 21020 728
ECLIPSE PREMIUM CLASSIC 21020 059

PAGE 16

PRIMO PREMIUM 21010 630
ECLIPSE PREMIUM CLASSIC 21020 012
ECLIPSE PREMIUM SPIRIT 21020 510
ECLIPSE PREMIUM SPIRIT 21020 662
PRIMO PREMIUM 21010 635
ECLIPSE PREMIUM CLASSIC 21020 035

With a history of more than 140 years, Tarkett is a worldwide leader in innovative and sustainable flooring and sports surface solutions, generating turnover of € 3.3 billion in 2024. The Group has close to 12,000 employees, 24 R&D centers, 8 recycling centers and 35 production sites. Tarkett creates and manufactures solutions for hospitals, schools, housing, hotels, offices, stores and sports fields, serving customers in over 100 countries. To build "The Way to Better Floors," the Group is committed to circular economy and sustainability, in line with its Tarkett Human-Conscious Design® approach. Tarkett is listed on the Euronext regulated market (compartment B, ISIN: FR0004188670, ticker: TKTT) www.tarkett-group.com

© Tarkett, January 2026

Descriptions, colours and specifications are subject to change without notice. Tarkett is not responsible for typographical/photographical errors. Actual product may differ from illustration. All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights. In case of doubt or differences of interpretation, the English version shall prevail over all other language versions.