

Safetred Next Generation

HETEROGENEOUS SAFETY FLOORING



An aerial photograph of a beach with sand dunes and water. The sand is a mix of light and dark tones, with some areas appearing wet and reflective. The water is a light blue-grey color. The overall scene is serene and natural.

YOUR SAFETY. OUR PRIORITY

Safetred has been crafted to meet EN 13845 standards, ensuring sustainable slip resistance in areas that present a risk of slipping. Featuring Tektanium®, Tarkett's innovative surface protection, Safetred is a high-performance safety floor that is easier to clean, durable and has an ultra-matt finish.

Modern tones and natural textures from the refined palette evoke a sense of calm and vitality, while complemented by our enduring Safetred classics. Paired with our versatile heterogeneous smooth vinyl range, we offer a complete solution designed to enhance and adapt to any space.



SAFETRED SPECTRUM Ice Blue



SAFETRED HARMONY Ginko Avenue
SAFETRED SERENITY Blue Lagoon
SAFETRED UNIVERSAL Kepler
SAFETRED HARMONY Gold Coast



Inspired by our environment




Inspired by the calming beauty of nature, this collection blends organic colours with subtle textures and slip resistance that offers a grounded, tactile feel. Its palette harmonises effortlessly with smooth heterogeneous ranges including Excellence, Platinum, Aquasens, ProtectWall, and TX Stairs, making it easy to create cohesive, flowing spaces. An elegant matt finish, crafted through our TEKTANIUM® surface technology, adds refined softness, while dementia-friendly designs support greater accessibility and inclusivity for all.



SAFETRED Harmony Ayers Rock
PROTECTWALL Gemstone
SAFETRED Mineral Concrete Blue



SAFETRED Harmony Ayers Rock
PROTECTWALL Gemstone
SAFETRED WOOD Chatillon Light Brown
SAFETRED Mineral Concrete Deep Blue




Slip resistance performance

Crafted to meet EN 13845 standards, Safetred collections ensure sustainable and dependable slip resistance throughout its guaranteed lifespan.

Shod Areas


CLASSIFICATION: R10, R11 & R12
for areas with frequent moisture or environments exposed to fats and lubricants (e.g. kitchens, hospitals, industrial zones).
TEST METHOD: EN 16165 Annex B – Ramp Test



R10		R11		R12
Universal Spectrum	Wood Sound	Universal Serenity	Harmony Mineral	Universal

Barefoot Areas

CLASSIFICATION: Class C for wetrooms
TEST METHOD: EN 16165 Annex A – Barefoot Ramp Test



Class C
Serenity / Harmony / Mineral

Pendulum Test Value

RANGE: Pentulum Test Value with low slip potential risk,
PTV ≥ 36 up to ≥ 55
TEST METHOD: EN 16165 Annex C – Pendulum Test




≥ 36		≥ 50		≥ 55
Universal R10 Spectrum	Wood Sound	Universal R11 Serenity	Harmony Mineral	Universal R12



SAFETRED Universal Venus



SAFETRED HARMONY Gold Coast
SAFETRED UNIVERSAL Venus
SAFETRED HARMONY Ginko Avenue
EXCELLENCE Concrete Cool Grey



Responsible choice



Made in Europe



Can be recycled with ReStart®



Contains 42% recycled materials

EPD®



Low Carbon Footprint:
4,68 kg CO₂ eq/m²
from Cradle to Gate (A1-A3)*

* Referring to EPD-IES-0016409 / Safety flooring – Safetred Compact



Low formaldehyde emissions



Phtalate free




≤ 100 µg/m³
BETTER INDOOR
AIR QUALITY

Low VOC emissions:
TVOC < 100 µg/m³, which is 10 times less
than the strictest EU standards



No biocides,
no heavy metals



Collections



overview

Safetred Universal

A timeless, non-directional design complemented by a palette of classic and refined colourways.



SAFETRED UNIVERSAL Saturn
PROTECTWALL Uni Kaki
SAFETRED UNIVERSAL Neptune
SAFETRED UNIVERSAL Europa

Non-directional design **with matt finish**

Easy to mix & match with Spectrum

16 designs in **R10**

4 designs available in **R11 & R12**

Tektanium® surface protection for enhanced
stain resistance and **easy maintenance**

Slip resistance performance:
EN 16165 Annex B: R10, R11, R12
Pendulum Test: ≥ 36 ≥ 50 ≥ 55



PROTECTWALL Uni Kaki
SAFETRED UNIVERSAL Neptune
SAFETRED UNIVERSAL Saturn




PROTECTWALL Uni Terracotta
 PROTECTWALL Uni Ochre
 PROTECTWALL Uni Kaki
 SAFETRED UNIVERSAL Neptune
 SAFETRED UNIVERSAL Saturn


SCAN TO GET MORE INFORMATION ON SAFETRED UNIVERSAL



Universal **R10**



Universal **R11**



Universal **R12**



Pluto
 R10 | 206070 701
 NCS: S 4005-Y50R
 LRV: 31%



Saturn
 R10 | 206070 702
 NCS: S 2005-Y50R
 LRV: 48%



Europa
 R10 | 206070 703
 NCS: S 2010-Y70R
 LRV: 48%



Mars
 R10 | 206070 704
 NCS: S 4030-Y90R
 LRV: 18%



Vega
 R10 | 206070 706
 NCS: S 6005-G50Y
 LRV: 15%



Sirius
 R10 | 206070 707
 NCS: S 3005-G50Y
 LRV: 38%



Ceres
 R10 | 206070 700
 NCS: S 4000-N
 LRV: 30%



Juno
 R10 | 206070 705
 NCS: S 2030-Y10R
 LRV: 40%



Kepler
 R10 | 206070 708
 NCS: S 5010-B10G
 LRV: 21%



Neptune
 R10 | 206070 709
 NCS: S 3010-R90B
 LRV: 34%



Constellation
 R10 | 206070 190
 NCS: S 4020-R80B
 LRV: 24%




Proteus
 R10 | 206070 710
 NCS: S 6010-R70B
 LRV: 12%




Venus
 R10 | 206070 110
 R11 | 206071 110
 R12 | 206072 110
 NCS: S 2500-N
 LRV: 46 %



Mercury
 R10 | 206070 180
 R11 | 206071 180
 R12 | 206072 180
 NCS: S 5005-R50B
 LRV: 23%



Nebula
 R10 | 206070 270
 R11 | 206071 270
 R12 | 206072 270
 NCS: S 6005-R80B
 LRV: 15%



Quasar
 R10 | 206070 100
 R11 | 206071 100
 R12 | 206072 100
 NCS: S 8005-R50B
 LRV: 6%

Safetred Spectrum

A modern reinterpretation of a classic design,
where PVC chips deliver a touch of natural glamour.

Non-directional design **with matt finish**

Easy to mix & match with Universal

Tektanium® surface protection for enhanced
stain resistance and **easy maintenance**

Slip resistance performance:

EN 16165 Annex B: R10

Pendulum Test: ≥ 36



SAFETRED SPECTRUM Ice Blue
SAFETRED SPECTRUM Turquoise
SAFETRED SPECTRUM Clay
PROTECT WALL Uni White Blue




SAFETRED SPECTRUM Ice Blue
PROTECT WALL Uni White Blue



SCAN TO GET MORE
INFORMATION ON
SAFETRED SPECTRUM




Clay
R10 | 206073 724
NCS: S 4005-Y50R
LRV: 30%



Terracotta
R10 | 206073 725
NCS: S 4030-Y90R
LRV: 19%



Khaki
R10 | 206073 727
NCS: S 4005-G50Y
LRV: 27%




Forest Green
R10 | 206073 728
NCS: S 6005-G50Y
LRV: 16%



Ochre
R10 | 206073 726
NCS: S 2030-Y10R
LRV: 42%




Turquoise
R10 | 206073 729
NCS: S 3010-B30G
LRV: 31%




Ice Blue
R10 | 206073 730
NCS: S 3010-B10G
LRV: 35%



Sapphire
R10 | 206073 731
NCS: S 5020-R80B
LRV: 12%



Silver
R10 | 206073 800
NCS: S 2002-Y80R
LRV: 49%



Shale
R10 | 206073 805
NCS: S 4502-B
LRV: 24%



Battleship
R10 | 206073 810
NCS: S 6005-R80B
LRV: 15%



Onyx
R10 | 206073 895
NCS: S 8005-R20B
LRV: 6%

Safetred Serenity

Nature-inspired tones and a calming colour palette,
fully accredited by the DSDC for inclusive design.



Accredited by DSDC for dementia-inclusive
and neurodiverse environments



Suitable **for wetrooms**

Non-directional and **matt finish**

Easy to mix & match with Harmony
and Aquasens collections

Tektanium® surface protection for enhanced
stain resistance and **easy maintenance**

Slip resistance performance:

EN 16165 Annex B: R11

For wetroom: Barefoot Class C

Pendulum test: ≥ 50






SCAN TO GET MORE
INFORMATION ON
SAFETRED SERENITY




Blue Lagoon
R11 | 206077 011
NCS: S 3010-B
LRV: 39%



Woodland Walk
R11 | 206077 012
NCS: S 5010-B10G
LRV: 22%




Babbling Brook
R11 | 206077 010
NCS: S 3005-R80B
LRV: 44%



Ocean Wave
R11 | 206077 007
NCS: S 4020-R80B
LRV: 22%



Starry Night
R11 | 206077 008
NCS: S 5020-R80B
LRV: 13%



Snowdrift
R11 | 206077 009
NCS: S 2502-B
LRV: 48%



Misty Mountain
R11 | 206077 006
NCS: S 4502-R50B
LRV: 26%



Skimming Stone
R11 | 206077 005
NCS: S 6005-R50B
LRV: 15%




White Cliff
R11 | 206077 003
NCS: S 1502-Y20R
LRV: 61%



Sandy Beach
R11 | 206077 001
NCS: S 2005-Y30R
LRV: 53%



Desert Island
R11 | 206077 002
NCS: S 3005-Y20R
LRV: 43%



Driftwood
R11 | 206077 004
NCS: S 4005-Y80R
LRV: 27%

Safetred Wood

Contemporary wood grains with a sophisticated finish bring warmth and a welcoming, homely atmosphere.



EXCELLENCE Variant Oak Warm Brown
PROTECTWALL Concrete Mastic
SAFETRED WOOD Herringbone Light Tan
SAFETRED WOOD Traditional Oak Grey White

Matt finish for realistic effect

Easy to mix & match with Excellence range
and Safetred Sound

Tektanium® surface protection for enhanced
stain resistance and **easy maintenance**

Slip resistance performance:

EN 16165 Annex B: R10
Pendulum Test: ≥ 36



SAFETRED WOOD Herringbone Grey White



Herringbone Grey White
R10 | 206074 719
NCS: S 3005-Y50R
LRV: 38%



Herringbone Light Tan
R10 | 206074 720
NCS: S 4020-Y20R
LRV: 24%



Chatillon Oak Grey
R10 | 206074 713
NCS: S 5005-Y50R
LRV: 23%



Chatillon Oak Beige
R10 | 206074 718
NCS: S 4010-Y30R
LRV: 30%



Chatillon Oak Light Brown
R10 | 206074 717
NCS: S 3010-Y30R
LRV: 39%



Traditional Oak Anthracite
R10 | 206074 711
NCS: S 6005-Y80R
LRV: 15%



Traditional Oak Cool Grey
R10 | 206074 019
NCS: S 5005-R
LRV: 22%



Traditional Oak Grey White
R10 | 206074 011
NCS: S 3005-Y50R
LRV: 40%



Traditional Oak Light
R10 | 206074 001
NCS: S 3020-Y20R
LRV: 31%



Variant Oak Brown Grey
R10 | 206074 712
NCS: S 6005-Y50R
LRV: 14%



Variant Oak Warm Brown
R10 | 206074 714
NCS: S 6010-Y50R
LRV: 15%



Variant Oak Nut
R10 | 206074 715
NCS: S 5010-Y30R
LRV: 20%



Variant Oak Natural
R10 | 206074 716
NCS: S 4020-Y30R
LRV: 28%

SCAN TO GET MORE
INFORMATION ON
SAFETRED WOOD



Safetred Mineral

Mineral inspired sophistication featuring, terrazzo, granite and concrete effects for an urban edge.



Matt finish for realistic effect



Suitable **for wetrooms**

Easy to mix & match with Safetred Sound, Safetred Serenity, Aquasens and Excellence ranges

Tektanium® surface protection for enhanced **stain resistance** and **easy maintenance**

Slip resistance performance:

EN 16165 Annex B: R11

For wetroom: Barefoot Class C

Pendulum test: ≥ 50






SCAN TO GET MORE
INFORMATION ON
SAFETRED MINERAL



PROTECTWALL Concrete Mastic
SAFETRED MINERAL Terrazzo Grande Grey



Terrazzo Murano Terracotta
R11 | 206075 035
NCS: S 2502-Y50R
LRV: 50%




Terrazzo Natural Grey
R11 | 206075 023
NCS: S 2502-Y50R
LRV: 46%




Concrete Brick
R11 | 206075 026
NCS: S 4020-Y70R
LRV: 25%



Concrete Warm Grey
R11 | 206075 020
NCS: S 6005-Y20R
LRV: 18%



Terrazzo Murano Gold & Silver
R11 | 206075 034
NCS: S 2502-Y50R
LRV: 45%



Terrazzo Grande Ochre
R11 | 206075 033
NCS: S 4010-Y50R / S 1002-Y80R
LRV: 68%



Concrete Grey Beige
R11 | 206075 021
NCS: S 4005-Y20R
LRV: 32%



Concrete Ochre
R11 | 206075 027
NCS: S 4020-Y10R
LRV: 27%



Terrazzo Murano Petrol
R11 | 206075 030
NCS: S 2502-Y50R
LRV: 50%



Terrazzo Concrete Beige
R11 | 206075 031
NCS: S 2005-Y60R
LRV: 55%




Concrete Chalk
R11 | 206075 022
NCS: S 2502-Y50R
LRV: 45%



Concrete Deep Blue
R11 | 206075 025
NCS: S 7005-B
LRV: 11%




Terrazzo Concrete Grey
R11 | 206075 029
NCS: S 2502-Y50R
LRV: 46%



Terrazzo Grande Grey
R11 | 206075 028
NCS: S 1001-Y / S 4502-Y80R
LRV: 71%



Concrete Cool Grey
R11 | 206075 019
NCS: S 3502-Y80R
LRV: 32%



Concrete Dark Grey
R11 | 206075 018
NCS: S 6502-Y80R
LRV: 12%



Granito Warm Grey
R11 | 206075 024
NCS: S 3502-Y50R
LRV: 39%

Safetred Harmony

Soft, harmonious tones with refined detailing create a luxurious and distinctive design for modern spaces.



Soft, harmonious tones
with refined **Terrazzo detail**



Suitable **for wetrooms**

12 designs: **non-directional** and **matt finish**

Easy to mix & match with Serenity, Aquasens
and Excellence ranges

Tektanium® surface protection for enhanced
stain resistance and **easy maintenance**


Slip resistance performance:

EN 16165 Annex: R11

For wetroom: Barefoot Class C

Pendulum test: ≥ 50






Mont Blanc
R11 | 206085 047
NCS: S 1500-N
LRV: 58%



Marble Cave
R11 | 206076 042
NCS: S 5010-R90B
LRV: 19%



Norwegian Fjord
R11 | 206076 043
NCS: S 3010-B50G
LRV: 33%



Sapa Valley
R11 | 206076 044
NCS: S 6010-B30G
LRV: 13%




Pink City
R11 | 206085 046
NCS: S 1500-N
LRV: 57%



Gold Coast
R11 | 206076 039
NCS: S 2010-G90Y
LRV: 50%



Ginko Avenue
R11 | 206076 041
NCS: S 3020-Y20R
LRV: 31%



Ayers Rock
R11 | 206076 040
NCS: S 4020-Y90R
LRV: 22%




Salt Flats
R11 | 206085 045
NCS: S 1500-N
LRV: 57%



Egyptian Stone
R11 | 206076 037
NCS: S 3005-Y20R
LRV: 37%



Moroccan Spice
R11 | 206076 036
NCS: S 5005-Y50R
LRV: 24%



London Town
R11 | 206076 038
NCS: S 5000-N
LRV: 24%

SCAN TO GET MORE
INFORMATION ON
SAFETRED HARMONY



Safetred Sound

Designs shaped by nature, while engineered
for exceptional acoustic harmony



Acoustic performance with 19 dB

Realistic and nature inspired designs
coming from the Wood and Mineral ranges

Tektanium® surface protection for enhanced
stain resistance and **easy maintenance**

10 designs with **matt finish**

Bridges with compact Safetred and
with smooth Excellence collection

Slip resistance performance:

EN 16165 Annex B: R10

Pendulum Test: ≥ 36



SAFETRED MINERAL Terazzo Natural Grey
SAFETRED WOOD Chatillon Oak Grey
SAFETRED MINERAL Concrete Chalk
SAFETRED MINERAL Concrete Warm Grey



SAFETRED MINERAL Concrete Brick
SAFETRED WOOD Chatillon Oak Grey



Traditional Oak Cool Grey
R10 | 206084 017
NCS: S 5005-R
LRV: 22%



Chatillon Oak Grey
R10 | 206084 016
NCS: S 5005-Y50R
LRV: 23%



Traditional Oak Grey White
R10 | 206084 015
NCS: S 3005-Y50R
LRV: 40%



Concrete Dark Grey
R10 | 206084 018
NCS: S 6502-Y80R
LRV: 12%



Concrete Cool Grey
R10 | 206084 019
NCS: S 3502-Y80R
LRV: 32%



Concrete Chalk
R10 | 206084 022
NCS: S 2502-Y50R
LRV: 45%




Concrete Warm Grey
R10 | 206084 020
NCS: S 6005-Y20R
LRV: 18%



Concrete Grey Beige
R10 | 206084 021
NCS: S 4005-Y20R
LRV: 32%



Granito Warm Grey
R10 | 206084 024
NCS: S 3502-Y50R
LRV: 39%




Terrazzo Natural Grey
R10 | 206084 023
NCS: S 2502-Y50R
LRV: 46%

SCAN TO GET MORE
INFORMATION ON
SAFETRED SOUND





Collection



summary

Explore the collections



SAFETRED SERENITY Woodland Walk

SAFETRED UNIVERSAL R10

Colour	Ref.	Welding Rods	LRV%	DSDC Accreditation
		Unicolour		
Ceres	206070700	1287278	30	2
Constellation	206070190	1288344	24	2
Europa	206070703	1287079	48	2
Juno	206070705	1289998	40	2
Kepler	206070708	1287895	21	2
Mars	206070704	1288387	18	2
Mercury	206070180	1287756	23	2
Nebula	206070270	1292329	15	2
Neptune	206070709	1291928	34	2
Pluto	206070701	1289999	31	2
Proteus	206070710	1287956	12	2
Quasar	206070100	1292206	6	–
Saturn	206070702	1287572	48	2
Sirius	206070707	1287356	38	2
Vega	206070706	1287753	15	2
Venus	206070110	1287630	46	2

SAFETRED UNIVERSAL R11

Colour	Ref.	Welding Rods	LRV %	DSDC Accreditation
		Unicolour		
Mercury	206071180	1287756	23	2
Nebula	206071270	1292329	15	2
Quasar	206071100	1287340	6	–
Venus	206071110	1287630	46	2

SAFETRED UNIVERSAL R12

Colour	Ref.	Welding Rods	LRV %	DSDC Accreditation
		Unicolour		
Mercury	206072180	1287756	23	2
Nebula	206072270	1292329	15	2
Quasar	206072100	1287340	6	–
Venus	206072110	1287630	46	2

SAFETRED SERENITY

Colour	Ref.	Welding Rods	LRV%	DSDC Accreditation
		Unicolour		
Babbling Brook	206077010	1292155	44	1a
Blue Lagoon	206077011	1287948	39	1a
Desert Island	206077002	1289803	43	1a
Driftwood	206077004	1287799	27	1a
Misty Mountain	206077006	1287756	26	1a
Ocean Wave	206077007	1287735	22	1b
Sandy Beach	206077001	1291821	53	1a
Skimming Stone	206077005	1287836	15	1b
Snowdrift	206077009	1287648	48	1a
Starry Night	206077008	1287409	13	1b
White Cliff	206077003	1291609	61	1a
Woodland Walk	206077012	1287895	22	1b

SAFETRED SPECTRUM

Colour	Ref.	Welding Rods	LRV%	DSDC Accreditation
		Unicolour		
Battleship	206073810	1292329	15	–
Clay	206073724	1289999	30	–
Forest Green	206073728	1287753	16	–
Ice Blue	206073730	1289997	35	–
Khaki	206073727	1287958	27	–
Ochre	206073726	1287283	42	–
Onyx	206073895	1287340	6	–
Sapphire	206073731	1287956	12	–
Shale	206073805	1287756	24	–
Silver	206073800	1287630	49	–
Terracotta	206073725	1288 387	19	–
Turquoise	206073729	1287965	31	–



DSDC ACCREDITATION
The Dementia Services Development Centre (DSDC) reviews flooring for suitability in dementia-friendly environments. Products must meet 10 design principles to achieve accreditation.
Ratings:
Class 1a – Plain flooring, suitable for use throughout.
Class 1b – Semi-plain flooring, generally suitable throughout.
Class 2 – Patterned flooring, use with caution.
www.dementia.stir.ac.uk

Explore the collections



SAFETRED SERENITY Babbling Brook

SAFETRED HARMONY

Colour	Ref.	Welding Rods		LRV%	DSDC Accreditation
		Unicolour	Contrasted Unicolour		
Ayers rock	206076040	1289006	1287006	22	–
Egyptian stone	206076037	1287963	1287616	37	–
Ginko avenue	206076041	1287960	1287648	31	–
Gold coast	206076039	1287616	1287006	50	–
London town	206076038	1287006	1289803	24	–
Marble cave	206076042	1287712	1287006	19	–
Mont blanc	206085047	1289316	1287418	58	–
Moroccan spice	206076036	1287863	1289803	24	–
Norwegian fjord	206076043	1287418	1289803	33	–
Pink city	206085046	1289316	1289006	57	–
Salt flats	206085045	1289316	1287006	57	–
Sapa valley	206076044	1287957	1287863	13	–

SAFETRED MINERAL / SAFETRED SOUND

Design	Colour	Ref. Mineral	Ref. Sound	Welding Rods Unicolour	LRV%	DSDC Accreditation
Concrete	brick	206075026	–	1287955	25	1b
Concrete	chalk	206075022	206084022	1287290	45	1b
Concrete	cool grey	206075019	206084019	1287789	32	1b
Concrete	dark grey	206075018	206084018	1287585	12	1b
Concrete	deep blue	206075025	–	1287077	11	1b
Concrete	grey beige	206075021	206084021	1287713	32	1b
Concrete	ochre	206075027	–	1287690	27	1b
Concrete	warm grey	206075020	206084020	1287870	18	1b
Granito	warm grey	206075024	206084024	1287530	39	1b
Terrazzo	natural grey	206075023	206084023	1291214	46	–
Terrazzo Concrete	beige	206075031	–	1287290	55	–
Terrazzo Concrete	grey	206075029	–	1291215	46	–
Terrazzo Grande	grey	206075028	–	1287838	71	–
Terrazzo Grande	ochre	206075033	–	1287838	68	–
Terrazzo Murano	gold & silver	206075034	–	1287290	45	–
Terrazzo Murano	petrol	206075030	–	1287290	50	–
Terrazzo Murano	terracotta	206075035	–	1287290	50	–

SAFETRED WOOD / SAFETRED SOUND

Design	Colour	Ref. Wood	Ref. Sound	Welding Rods Uni-colour	LRV%	DSDC Accreditation
Chatillon Oak	beige	206074718	–	1287005	30	1b
Chatillon Oak	grey	206074713	206084016	1287010	23	2
Chatillon Oak	light brown	206074717	–	1294852	39	1b
Herringbone	grey white	206074719	–	1287830	38	–
Herringbone	light tan	206074720	–	1287505	24	–
Traditional Oak	anthracite	206074711	–	1287333	15	2
Traditional Oak	cool grey	206074019	206084017	1287840	22	2
Traditional Oak	grey white	206074011	206084015	1287572	40	2
Traditional Oak	light	206074001	–	1287153	31	2
Variant Oak	brown grey	206074712	–	1287706	14	1b
Variant Oak	natural	206074716	–	1287960	28	2
Variant Oak	nut	206074715	–	1294428	20	2
Variant Oak	warm brown	206074714	–	1287780	15	2



© Tarkett 2026

Descriptions, colours and specifications are subject to change without notice. Tarkett is not responsible for typographical/photographical errors. Actual product may differ from illustration. All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights. In case of doubt or differences of interpretation, the English version shall prevail over all other language versions.