


UNIMINI HALLY


PRODUCT INFORMATION

| | | | |
|----------------------|---------------------|---------------------------|------------------------------|
| Name | Unimini Hally | Description | Park |
| Product # | 8047358 | Product # (old) | |
| Anchoring | Sunken Foundation | Colour | Steel post/light green panel |
| Age | 2-5 | Price | Contact HAGS |
| Assembly time | 15 hours | Weight | 241 kg |
| Volume | 1.85 m ³ | Safety Area | 24 m ² |
| Length | 3100 mm | Safety Area Length | 6700 mm |
| Width | 1900 mm | Safety Area Width | 4900 mm |
| Height | 2500 mm | Fall height | 1000 mm |

IMAGES







PLAY FUNCTIONS



UM Balcony

Module size: 0.67 m. Materials: Frame of tubular steel with steel mesh infill. All of the steel components are electro-galvanised, primed and powder-lacquered. Deck of plywood finished with a phenolic film coating.



UM Cooker

Size: Width 0.55 m Materials: Electro-galvanised and powder-lacquered steel profile console. Hob top and front panel in HPL.

UM Scramble Net



Module size: 0.67 m. Materials: Net of hot-galvanised chain covered in a sleeve of solid polyurethane. The all-steel anchor fittings are electro-galvanised, primed and powder-lacquered.



UM Shop

MATERIALS: Phenol film-coated plywood or HPL. Galvanised and powder-lacquered steel plate frame.



UM Ships Wheel

Size: 0.4 m diameter. Materials: Wheel in HPL. Frame of electro-galvanised, powder-lacquered steel. Braked-action rotation.



UM HPL Slide

Width: 0.45 m. Module size: 0.67 m. Materials: Sides of 18 mm HPL. Chute of 1.0 mm pattern-rolled stainless steel. A 3 mm sheet of oil-hardened hardboard under the full length of the chute helps to reduce noise.



UM Sorting Game

Size: Length 0.4 m, height 0.1 m. Materials: Steel plate frame, electro-galvanised and powder-lacquered. Polyamide rollers marked with colours and designs.



UM Stairs

Width: 0.45 m. Module size: 0.67 m. Materials: Aluminium steps. HPL sides.

MATERIAL

| Material | kg | % |
|---------------------------|---------|------|
| Zink (electro-galvanised) | 0.025 | 0.01 |
| Cast iron | 0.2 | 0.06 |
| Zink (hot-galvanised) | 0.6341 | 0.2 |
| Polyurethane solid (PUR) | 0.8073 | 0.26 |
| Polyethylene (PE) | 1.1481 | 0.37 |
| Polyamide (PA) | 1.1642 | 0.37 |
| Fibreboard | 4 | 1.28 |
| Aluminium | 4.4948 | 1.44 |
| Stainless steel | 9.3219 | 2.99 |
| Plywood | 18.8538 | 6.05 |

| | | |
|--------------------|----------|-------|
| HPL | 119.863 | 38.49 |
| Steel | 151.07 | 48.52 |
| Polypropylene (PP) | 0.002 | 0 |
| | 311.6 kg | 100% |

HAGS Aneby AB - A Play Power Inc Company - hags@hags.com