

## UNIMINI ZAMBI

---

### PRODUCT INFORMATION


<b>Name</b>	Unimini Zambi	<b>Description</b>	Vivid
<b>Product #</b>	8047473	<b>Product # (old)</b>	
<b>Anchoring</b>	Sunken Foundation	<b>Colour</b>	Bark brown post/red panel
<b>Age</b>	2-5	<b>Price</b>	Contact HAGS
<b>Assembly time</b>	28 hours	<b>Weight</b>	387.2 kg
<b>Volume</b>	2.65 m <sup>3</sup>	<b>Safety Area</b>	33 m <sup>2</sup>
<b>Length</b>	2400 mm	<b>Safety Area Length</b>	5600 mm
<b>Width</b>	4200 mm	<b>Safety Area Width</b>	7400 mm
<b>Height</b>	2200 mm	<b>Fall height</b>	600 mm

---

### IMAGES







## PLAY FUNCTIONS



### UM Algebra

Size: Width 0.4 m, height 0.2 m. Materials: Panel of HPL. Polyamide knobs marked with numbers.



### UM Balcony

Module size: 0.67 m. Materials: Frame of tubular steel with steel mesh infill. All of the steel components are electro-galvanised, primed and powder-lacquered. Deck of plywood finished with a phenolic film coating.



### UM Net Climber

Module size: 0.67x1.33 m. Materials: Handrail of 32 mm tubular steel, electro-galvanised, primed and powder-lacquered. Netting of 5 mm hot-galvanised chain covered with solid polyurethane.



### UM Pair Game

Size: To be mounted on a standard UniMini screen. Material: Gameboard of HPL. Knobs of plastic.



### UM Ramp to Deck

Module size: 0.67 m. Materials: Decking of 21 mm plywood finished with a phenolic film coating. Foundation frame of 33 mm hot-galvanised tubular steel.



### UM Ships Wheel

Size: 0.4 m diameter. Materials: Wheel in HPL. Frame of electro-galvanised, powder-lacquered steel. Braked-action rotation.



### UM HPL Slide

Width: 0.45 m. Module size: 0.67 m. Materials: Sides of 18 mm HPL. Chute of 1.0 mm pattern-rolled stainless steel. A 3 mm sheet of oil-hardened hardboard under the full length of the chute helps to reduce noise.



### UM Speak

Speak Size: Height to the centre of the funnel 0,9 m. Material: Electrogalvanized and powdrecoated steel. Connection in the ground with plastic hose.

## MATERIAL

Material	kg	%
Aluzinc	0.0003	0
Zink (electro-galvanised)	0.0634	0.01
Aluminium	0.3713	0.09
Rubber	0.87	0.2
Cast iron	1.36	0.32
Fibreboard	1.7856	0.42
Polyamide (PA)	1.5008	0.35
Polyurethane solid (PUR)	2.2391	0.52
Zink (hot-galvanised)	2.6114	0.61

Polyethylene (PE)	1.2137	0.28
Recycled thermoplastics	4.35	1.02
Stainless steel	11.7935	2.75
HPL	33.5974	7.84
Plywood	49.0306	11.44
Pine	124.099	28.96
Steel	194.988	45.5
Polypropylene (PP)	0	0
	429.9 kg	100.3%

---

HAGS Aneby AB - A Play Power Inc Company - [hags@hags.com](mailto:hags@hags.com)