

UNIMINI OLDDRAM

PRODUCT INFORMATION

Name	Unimini Oldram	Description	Vivid
Product #	8047192	Product # (old)	
Anchoring	Sunken Foundation	Colour	Bark brown post/red panel
Age	2-5	Price	Contact HAGS
Assembly time	43 hours	Weight	637.7 kg
Volume	4.91 m ³	Safety Area	47 m ²
Length	5300 mm	Safety Area Length	8400 mm
Width	4900 mm	Safety Area Width	8400 mm
Height	3250 mm	Fall height	1600 mm

IMAGES







+2,30

+1,20


+0,96

OM

S 0,42



47 m²





UM Play Panel



UM Letter Game

Size: Length 0.4 m, height 0.1 m. Materials: Electro-galvanised and powder-lacquered steel plate frame. Polyamide rollers marked with letters.



UM Climbing Wall single

Module size: 0.67 m. Materials: 21 mm plywood finished with a phenolic film coating. Poly-concrete hand and foot grips.



UM Cooker

Size: Width 0.55 m Materials: Electro-galvanised and powder-lacquered steel profile console. Hob top and front panel in HPL.



UM Crawl Tube

Module size: 0.67x1.33 m. Materials: Tunnel of 1.5 mm stainless steel with screen sections of 12 mm high-pressure laminate (HPL).



UM Net Climber

Module size: 0.67x1.33 m. Materials: Handrail of 32 mm tubular steel, electro-galvanised, primed and powder-lacquered. Netting of 5 mm hot-galvanised chain covered with solid polyurethane.



UM Scramble Net

Module size: 0.67 m. Materials: Net of hot-galvanised chain covered in a sleeve of solid polyurethane. The all-steel anchor fittings are electro-galvanised, primed and powder-lacquered.



UM Shop

MATERIALS: Phenol film-coated plywood or HPL. Galvanised and powder-lacquered steel plate frame.



UM Ships Wheel

Size: 0.4 m diameter. Materials: Wheel in HPL. Frame of electro-galvanised, powder-lacquered steel. Braked-action rotation.

UM HPL Slide



Width: 0.45 m. Module size: 0.67 m. Materials: Sides of 18 mm HPL. Chute of 1.0 mm pattern-rolled stainless steel. A 3 mm sheet of oil-hardened hardboard under the full length of the chute helps to reduce noise.



UM Speak

Speak Size: Height to the centre of the funnel 0,9 m. Material: Electrogalvanized and powdrecoated steel. Connection in the ground with plastic hose.



UM Telescope

Size: Ø 130 mm, length 240 mm Material: Binocular of plastic. Fittings of electro galvanized and powdrecoated steel.



UM Stairs

Width: 0.45 m. Module size: 0.67 m. Materials: Aluminium steps. HPL sides.

MATERIAL

Material	kg	%
Aluzinc	0.0003	0
Zink (electro-galvanised)	0.1126	0.01
Polyester	1.317	0.15
Cast iron	1.56	0.17
Polyamide (PA)	2.1677	0.24
Zink (hot-galvanised)	2.9347	0.33
Polyurethane solid (PUR)	3.0464	0.34
Fibreboard	3.6723	0.41
Polyethylene (PE)	1.9785	0.22
Aluminium	7.1368	0.8
Plywood	81.4318	9.13
Stainless steel	92.6428	10.38
Pine	119.628	13.41
HPL	272.123	30.5
Steel	303.971	34.07
Polypropylene (PP)	0.002	0
	893.7 kg	100.2%

HAGS Aneby AB - A Play Power Inc Company - hags@hags.com