

UNIMINI ZYANSA



PRODUCT INFORMATION


Name	Unimini Zyansa	Description	Park
Product #	8047220	Product # (old)	
Anchoring	Sunken Foundation	Colour	Bark brown post/light green panel
Age	2-5	Price	Contact HAGS
Assembly time	86 hours	Weight	1264.1 kg
Volume	6.51 m ³	Safety Area	90 m ²
Length	9300 mm	Safety Area Length	13300 mm
Width	7900 mm	Safety Area Width	10800 mm
Height	2750 mm	Fall height	1800 mm

IMAGES









PLAY FUNCTIONS



Sand Pipe

DIMENSIONS: Pipe length 2.20 m, floor assembly height 1.50 m. MATERIALS: Galvanised and powder-lacquered tubular steel. Stainless steel sand track. HPL sides.



UM Algebra

Size: Width 0.4 m, height 0.2 m. Materials: Panel of HPL. Polyamide knobs marked with numbers.



UM Bench

Materials: Plywood finished with a phenolic film coating. Electro-galvanised and powder-lacquered tubular steel frame.

UM Climbing Net

Width: 1.14 m. Height: 1.75 m. Materials: Net of 5 mm hot-galvanised chain covered in solid polyurethane. The all-steel suspension fittings are electro-



galvanised, primed and powder-lacquered. Order extra posts if installing more nets.



UM Cooker

Size: Width 0.55 m Materials: Electro-galvanised and powder-lacquered steel profile console. Hob top and front panel in HPL.



UM Crawl Tube

Module size: 0.67x1.33 m. Materials: Tunnel of 1.5 mm stainless steel with screen sections of 12 mm high-pressure laminate (HPL).



UM Net Climber

Module size: 0.67x1.33 m. Materials: Handrail of 32 mm tubular steel, electro-galvanised, primed and powder-lacquered. Netting of 5 mm hot-galvanised chain covered with solid polyurethane.



UM Picture Game

Size: Width 0.44 m, height 0.51 m. Materials: Galvanised and powder-lacquered steel plate frame. Polyamide rollers with colour markings.



UM Ramp to Deck

Module size: 0.67 m. Materials: Decking of 21 mm plywood finished with a phenolic film coating. Foundation frame of 33 mm hot-galvanised tubular steel.



UM Shop

MATERIALS: Phenol film-coated plywood or HPL. Galvanised and powder-lacquered steel plate frame.



UM Ships Wheel

Size: 0.4 m diameter. Materials: Wheel in HPL. Frame of electro-galvanised, powder-lacquered steel. Braked-action rotation.



UM HPL Slide

Width: 0.45 m. Module size: 0.67 m. Materials: Sides of 18 mm HPL. Chute of 1.0 mm pattern-rolled stainless steel. A 3 mm sheet of oil-hardened hardboard under the full length of the chute helps to reduce noise.

UM Speak



Speak Size: Height to the centre of the funnel 0,9 m. Material: Electrogalvanized and powdercoated steel. Connection in the ground with plastic hose.



UM Step Climber

Module size: 0,67x1,33 m Material: Handle of electro galvanized and powdercoated steel pipe. Steps of EkoGrip, rubbercoated plastic.



UM Table

Materials: Plywood finished with a phenolic film coating. Electro-galvanised and powder-lacquered tubular steel frame.

MATERIAL

Material	kg	%
Aluzinc	0.0472	0
Zink (electro-galvanised)	0.3196	0.02
Aluminium	1.4566	0.09
Cast iron	2.24	0.14
Polyester	3.424	0.21
Rubber	3.5467	0.22
Polyurethane solid (PUR)	4.1084	0.25
Fibreboard	5.4579	0.33
Polyamide (PA)	4.811	0.29
Polyethylene (PE)	3.3082	0.2
Zink (hot-galvanised)	7.2135	0.44
Recycled thermoplastics	17.7335	1.08
Stainless steel	101.541	6.19
Plywood	219.948	13.42
Pine	251.485	15.34
HPL	449.413	27.42
Steel	565.47	34.49
Polypropylene (PP)	0.002	0
	1641.5 kg	100.1%

HAGS Aneby AB - A Play Power Inc Company - hags@hags.com