

UNIMINI UMBER


PRODUCT INFORMATION

Name	Unimini UMBER	Description	Park
Product #	8047075	Product # (old)	
Anchoring	Sunken Foundation	Colour	Bark brown post/light green panel
Age	2-5	Price	Contact HAGS
Assembly time	25 hours	Weight	360.6 kg
Volume	2.84 m ³	Safety Area	26 m ²
Length	3500 mm	Safety Area Length	7100 mm
Width	2000 mm	Safety Area Width	4600 mm
Height	3250 mm	Fall height	1400 mm


IMAGES




+2,30



+0,96





PLAY FUNCTIONS



UM Cooker

Size: Width 0.55 m Materials: Electro-galvanised and powder-lacquered steel profile console. Hob top and front panel in HPL.



UM Crawl Tube

Module size: 0.67x1.33 m. Materials: Tunnel of 1.5 mm stainless steel with screen sections of 12 mm high-pressure laminate (HPL).

UM HPL Slide

Width: 0.45 m. Module size: 0.67 m. Materials: Sides of 18 mm HPL. Chute of 1.0 mm pattern-rolled stainless steel. A 3 mm sheet of oil-hardened hardboard under the full length of the chute helps to reduce noise.



UM Speak

Speak Size: Height to the centre of the funnel 0,9 m. Material: Electrogalvanized and powdrecoated steel. Connection in the ground with plastic hose.



UM Telescope

Size: Ø 130 mm, length 240 mm Material: Binocular of plastic. Fittings of electro galvanized and powdrecoated steel.



UM Stairs

Width: 0.45 m. Module size: 0.67 m. Materials: Aluminium steps. HPL sides.



MATERIAL

Material	kg	%
Aluzinc	0.0003	0
Zink (electro-galvanised)	0.034	0.01
Polyamide (PA)	0.99	0.18
Zink (hot-galvanised)	1.3065	0.24
Polyethylene (PE)	0.7751	0.14
Fibreboard	4	0.75
Aluminium	6.9665	1.3
Plywood	30.15	5.63
Pine	61.9004	11.56
Stainless steel	85.9346	16.05
Steel	154.944	28.94
HPL	188.317	35.18
Polypropylene (PP)	0	0
	535.3 kg	100%

