

## UNIMINI IMSE

---

### PRODUCT INFORMATION


<b>Name</b>	Unimini Imse	<b>Description</b>	Pure
<b>Product #</b>	8046914	<b>Product # (old)</b>	
<b>Anchoring</b>	Sunken Foundation	<b>Colour</b>	Bark brown post/beige panel
<b>Age</b>	2-5	<b>Price</b>	Contact HAGS
<b>Assembly time</b>	18 hours	<b>Weight</b>	256.3 kg
<b>Volume</b>	1.34 m <sup>3</sup>	<b>Safety Area</b>	28 m <sup>2</sup>
<b>Length</b>	2400 mm	<b>Safety Area Length</b>	5500 mm
<b>Width</b>	3700 mm	<b>Safety Area Width</b>	7200 mm
<b>Height</b>	2750 mm	<b>Fall height</b>	1000 mm

---


### IMAGES








28 m<sup>2</sup>





PLAY FUNCTIONS

UM Play Panel

**Sand Pipe**

DIMENSIONS: Pipe length 2.20 m, floor assembly height 1.50 m. MATERIALS: Galvanised and powder-lacquered tubular steel. Stainless steel sand track. HPL sides.

**UM Climbing Wall single**

Module size: 0.67 m. Materials: 21 mm plywood finished with a phenolic film coating. Poly-concrete hand and foot grips.

**UM Shop**

MATERIALS: Phenol film-coated plywood or HPL. Galvanised and powder-lacquered steel plate frame.

**UM Ships Wheel**

Size: 0.4 m diameter. Materials: Wheel in HPL. Frame of electro-galvanised, powder-lacquered steel. Braked-action rotation.

**UM HPL Slide**

Width: 0.45 m. Module size: 0.67 m. Materials: Sides of 18 mm HPL. Chute of 1.0 mm pattern-rolled stainless steel. A 3 mm sheet of oil-hardened hardboard under the full length of the chute helps to reduce noise.

**MATERIAL**

Material	kg	%
Zink (electro-galvanised)	0.0717	0.02
Polyurethane solid (PUR)	0.2809	0.08
Aluminium	0.8535	0.26
Polyethylene (PE)	1.2312	0.37
Zink (hot-galvanised)	1.3149	0.4
Polyester	1.317	0.4
Polyamide (PA)	1.211	0.36
Fibreboard	4	1.2
Stainless steel	10.3146	3.1

Plywood	41.473	12.48
Pine	49.0086	14.74
HPL	109.496	32.94
Steel	111.822	33.64
Polypropylene (PP)	0.002	0
	332.4 kg	100%

---

HAGS Aneby AB - A Play Power Inc Company - [hags@hags.com](mailto:hags@hags.com)