

UNIMINI AMRIS


PRODUCT INFORMATION

| | | | |
|----------------------|--------------------|---------------------------|------------------------|
| Name | Unimini Amris | Description | Vivid |
| Product # | 8047446 | Product # (old) | |
| Anchoring | Sunken Foundation | Colour | Steel Post/Red Barrier |
| Age | 2-5 | Price | Contact HAGS |
| Assembly time | 27 hours | Weight | 477.1 kg |
| Volume | 3.1 m ³ | Safety Area | 33 m ² |
| Length | 4100 mm | Safety Area Length | 7600 mm |
| Width | 2400 mm | Safety Area Width | 5400 mm |
| Height | 2000 mm | Fall height | 600 mm |

IMAGES




+2,05




+0,60

OM



S 0,42



PLAY FUNCTIONS



UM Algebra

Size: Width 0.4 m, height 0.2 m. Materials: Panel of HPL. Polyamide knobs marked with numbers.



UM Balcony

Module size: 0.67 m. Materials: Frame of tubular steel with steel mesh infill. All of the steel components are electro-galvanised, primed and powder-lacquered. Deck of plywood finished with a phenolic film coating.

UM Crawl Tube

Module size: 0.67x1.33 m. Materials: Tunnel of 1.5 mm stainless steel with screen sections of 12 mm high-pressure laminate (HPL).

**UM Pair Game**

Size: To be mounted on a standard UniMini screen. Material: Gameboard of HPL. Knobs of plastic.

**UM Ramp to Deck**

Module size: 0.67 m. Materials: Decking of 21 mm plywood finished with a phenolic film coating. Foundation frame of 33 mm hot-galvanised tubular steel.

**UM Ships Wheel**

Size: 0.4 m diameter. Materials: Wheel in HPL. Frame of electro-galvanised, powder-lacquered steel. Braked-action rotation.

**UM HPL Slide**

Width: 0.45 m. Module size: 0.67 m. Materials: Sides of 18 mm HPL. Chute of 1.0 mm pattern-rolled stainless steel. A 3 mm sheet of oil-hardened hardboard under the full length of the chute helps to reduce noise.

**UM Speak**

Speak Size: Height to the centre of the funnel 0,9 m. Material: Electrogalvanized and powdrecoated steel. Connection in the ground with plastic hose.

**UM Step Climber**

Module size: 0,67x1,33 m Material: Handle of electro galvanized and powdrecoated steel pipe. Steps of EkoGrip, rubbercoated plastic.

**UM Telescope**

Size: Ø 130 mm, length 240 mm Material: Binocular of plastic. Fittings of electro galvanized and powdrecoated steel.

MATERIAL

| | Material | kg | % |
|---------|----------|--------|---|
| Aluzinc | | 0,0003 | 0 |

| | | |
|---------------------------|----------|-------|
| Zink (electro-galvanised) | 0.0375 | 0.01 |
| Aluminium | 0.3713 | 0.06 |
| Polyamide (PA) | 0.4258 | 0.07 |
| Zink (hot-galvanised) | 1.1902 | 0.21 |
| Rubber | 1.2267 | 0.21 |
| Fibreboard | 1.7856 | 0.31 |
| Polyethylene (PE) | 1.541 | 0.27 |
| Recycled thermoplastics | 6.1335 | 1.06 |
| Pine | 20 | 3.47 |
| Plywood | 49.0306 | 8.51 |
| Stainless steel | 84.1014 | 14.6 |
| HPL | 139.183 | 24.15 |
| Steel | 271.192 | 47.06 |
| Polypropylene (PP) | 0 | 0 |
| | 576.2 kg | 100% |