

Heterogeneous vinyl

Play to win

OMNISPORTS



WHY CHOOSE TARKETT SPORTS 4
HOW TO CHOOSE YOUR SURFACE? 6
SOLUTION GUIDE 8
WHY CHOOSE OMNISPORTS? 10
LEISURE FLOORINGS 12
SPORTS FLOORINGS 14
CHOOSE YOUR COLOURS 16
3 INSTALLATION POSSIBILITIES 18
OUR COMMITMENT TO CLEANLINESS 20
OUR EXPERTISE AT YOUR SERVICE 22
OUR COMMITMENT TO THE PLANET 24
A TURNKEY SOLUTION 26
SOME OF OUR REFERENCES 28
PRODUCT LISTING 30
TECHNICAL DATA 31



IS A WORLD LEADER IN ATHLETIC SURFACES,
OFFERING COMPLETE SOLUTIONS OF INDOOR AND OUTDOOR SPORTS FLOORINGS,
THROUGH ITS MULTIPLE OF OWN BRANDS.

OUR MISSION: OFFER SUSTAINABLE SPORTS SURFACES
THAT MAKE THE DIFFERENCE FOR ATHLETES, IN PUBLIC AND PRIVATE FACILITIES.



A EUROPEAN MANUFACTURER

Tarkett Sports is a French group with our head office based in Paris - La Défense. Our solutions are manufactured in our technologically advanced European factories: Vinyl and Synthetic turf (France), Linoleum (Italy), Wood (Sweden).



A SUSTAINABLE LEADER

Our solutions help to create pleasant sports areas in a healthier environment, thanks to permanent innovations in product design, environmental friendly factories and end of life recycling programmes.



AN INNOVATIVE LEADER

Inventor of synthetic turf systems: 3G, Core fibre, ProMax Hydroflex, PureGrain corn infills, the intelligent Genius system and Omnisports vinyl with the exclusive GreenLay™ installation method.



AN EXPERIENCED LEADER

Almost 100 million sqm installed, more than 20,000 sites in the world and as many satisfied customers.



A NETWORK OF EXPERTS

Tarkett Sports works with its teams and the most experienced and competent local partners in the industry, for the design and installation of your sports facilities.



A LEADER AT YOUR SERVICE

We are as committed to your project as you are. When you choose Tarkett Sports, you choose a company that knows how to take care of you and the players.



LUDOVIC GAILLOT
ARCHITECT - PELLEAU & ASSOCIÉS



«We wanted to bring dynamism and create a friendly space for this sports facility through the use of colours. The variety of Omnisports' colour palette allowed us to think outside the box and let our imagination roam free. We were able to create an original environment that garnered positive feedback from both players and the City.»

XAVIER FABRE
SPORTS DEPARTMENT – VILLEURBANNE



«Our maintenance teams are particularly pleased with Tarkett Sports' flooring in Astroballe hall. After more than 10 years, the facility is still in perfect condition and many European clubs asked how we did to have such high quality wood flooring!»

RICHIE GRAY
COACH AND MANAGING DIRECTOR MONTPELLIER - HERAULT RUGBY




«Partnering with Fieldturf® was an easy decision for me and my company. Having experienced their product first-hand and understanding Tarkett Sports commitment to innovation and customer service, makes this an exciting opportunity.»

LEE JACKSON
GARDEN KEEPER MANCHESTER CITY



«Thanks to the efforts of a motivated team and an hybrid turf system, we now have one of the best fields in the English Premier League. The GrassMaster system allows us to keep draining playing surface, stable and homogeneous.»

1 CHOOSE THE SURFACE ADAPTED TO YOUR USAGE



Leisure - All types of players
Ideal for fitness, leisure and wellness facilities
Best option: Omnisports Compact, Speed & Training

P1 - Light to medium weight players
Ideal for school, leisure and extra sportive use
Best option: Omnisports Reference *Multi-use*

P2 - All types of players
Ideal for competition, frequent and intense trainings
Best option: Omnisports Active+ & Pureplay




2 ENSURE PLAYERS' SAFETY

The single surface embossing combined with TopClean XP™ treatment provides the proper balance of friction and grip control, whatever the colour or design.

“

Tarkett sports difference

No change in grip and underfoot feeling when moving from solid to pattern



3 MAKE SUSTAINABLE CHOICES

Tarkett Sports is committed to an environmental strategy based in particular on qualitative components choice to design its products, users' health and well-being, as well as materials reuse. Our Omnisports products are:

- Recyclable post-use*
- Contain recycled content up to **32%**
- ReStart® ready

4 CHOOSE HEALTHIER INDOOR SPACES

Indoor air quality is essential for athletes' health and especially children who are exposed to higher risk of indoor pollution due to immature lungs.

That's why choosing a sports flooring made from carefully selected materials that contributes to better indoor air quality is key for any project. Our Omnisports products feature the following:

- Extremely low VOC emissions <math><10\mu\text{g}/\text{m}^3</math>
- Phthalate-free
- Biocide-free
- Approved by the Seal of Approval of Allergy UK

5 SECURE YOUR INVESTMENT ON THE LONG TERM

Sports facility projects entail significant investments that require a reliable safeguard. With its expertise, know-how and worldwide reputation, Tarkett Sports is confident in its products and is committed to guaranteeing them for 15 years. Experience the industry's highest and non-degressive warranty for your peace of mind.



6 MANAGE YOUR COSTS

On average, the overall investment budget for a flooring system is divided into 20% for its purchase and 80% for its maintenance. This is why it is crucial to carefully select a high-quality sports flooring that is easy to maintain and has a reliable installation method, as part of the GreenLay™ method, which is more cost-effective:

- Minimised installation down-time: 20% faster installation
- Minimised installation costs: with only 2% of the surface glued
- Simplified maintenance thanks to our ToP Clean XP™ surface treatment and exclusive surface embossing across our entire Omnisports range

- Highly recommended
- Highly recommended with Lumaflex sub-construction
- Suitable

	OMNISPORTS								
	LEISURE FLOORINGS					EN14904 CERTIFIED FLOORINGS			
	COMPACT 2.0 MM	SPEED 3.45 MM	SPEED TABLE TENNIS 3.45 MM	DANCEFLOOR 3.45 MM	TRAINING 5.0MM	REFERENCE MULTI-USE 6.2 MM	ACTIVE + 8.1 MM	PUREPLAY 9.4MM	
	p. 12	p. 12	p. 12	p. 12	p. 12	p. 14	p. 14	p. 14	
Multi-sports						●	●	●	
Multi-use	○					●			
Basketball						●	●	●	
Volley-ball						○	●	●	
Handball						○	●	●	
Futsal						●	●	●	
Table tennis			●			●			
Badminton						●	●	●	
Fitness - aerobics		●			●	●	●		
Fitness - cardio (bikes, tradmills, rowing machines,...)	●	●							
Wellness centres		●			●	●			
Handisports	○					○			
Ballet dance				●					
Yoga					●	●	●	●	
Tai Chi					●	●	●	●	
Traffic areas (corridors, entrance halls, meeting rooms,...)	●								




X3LT EXCLUSIVE TECHNOLOGY

<p>“ GLASS VEIL Less is more! Extremely tough single glass veil reinforcement</p>	+	<p>“ CALENDARED SHEET High performance & durability, made from recycled material</p>	+	<p>“ XCS FOAM High expansion rate and recovery, less fillers for maximized performances</p>
<p>2X BETTER IDENTATION RECOVERY THAN SIMILAR PRODUCTS</p>		<p>Up to 60% RECYCLED CONTENT</p>		<p>+12%* IMPROVED SHOCK ABSORPTION</p>



Sports Centre Issy-les-Moulineaux, France ©Guillaume Guerin

WITH OMNISPORTS X3LT
YOU CAN FEEL THE DIFFERENCE!



- 1 PROTECTION LAYER**
OMNISPORTS IS BACKED WITH A SINGLE SURFACE EMBOSSING COMBINED WITH TOPCLEAN XP™ SURFACE TREATMENT

 - Consistent surface feel and friction, whatever the colour or design!
 - Perfect balance of friction and grip control
 - Easy and cost-effective maintenance
- 2 WEAR LAYER**
PUR VINYL WEAR LAYER, 30% THICKER THAN EQUIVALENT PRODUCTS IN THE MARKET

 - Increased durability
 - High mechanical resistance
 - Optimal stain resistance
- 3 DESIGN LAYER**
HIGH-DEFINITION PRINTING FOR HIGHER COLOUR INTENSITY AND REALISTIC WOOD SURFACE APPEARANCE

 - Endless design possibilities: Learn more about Omnisports design options page 16.
- 4 PERFORMANCE LAYER**
OMNISPORTS X3LT TECHNOLOGY

 - Boosted sports experience allowing longer and safer play time for both recreational and competitive activities
 - Continuous performance for product lifespan**
 - Suitable for multi-purpose activities



* vs. our previous technology
** product lifespan = 15 years



OMNISPORTS COMPACT 2.0 MM

Ideal for traffic areas and cardio equipment in fitness facilities

- Withstands heavy traffic
- Equipment-friendly: excellent resistance to indentation marks and easy circulation of rolling loads
- Suitable for installation with Lumaflex Energy or Evolution sub-construction: area-elastic system (A4), ideal for multi-sports facilities and light multiuse purposes.



OMNISPORTS SPEED 3.45 MM

Ideal for walking and acoustic comfort in fitness, leisure and wellness areas

- Versatile use in leisure facilities
- Equipment-friendly: high resistance to indentation marks and rolling loads
- Comfortable walking and acoustic experience



OMNISPORTS TRAINING 5.0 MM

Ideal for small sports facilities and leisure areas

- Increased protection and comfort: shock absorption level >17%
- Good walking and acoustic experience
- Increased longevity



OMNISPORTS SPEED TABLE TENNIS 3.45 MM

Textured sports surface ideal for table tennis practice


- Balanced grip for responsive and safe game play
- Ideal for portable installation in tournaments and championships
- Comfortable and supportive underfoot feel



DANCEFLOOR 3.45 MM

The ideal solution for dance studios professional and amateur classic ballet

- Excellent grip: secure footing for precise dance movements
- Supportive surface prioritizing dancers' protection
- Perfect matte





P1



OMNISPORTS REFERENCE
MULTI-USE 6.2 MM

Ideal flooring for multi-sports practice and non sporting events

- Optimal safety and performance: shock absorption level $\geq 25\%$
- Equipment-friendly: excellent resistance to indentation marks from tables and other equipment
- Reliable for multi-use spaces, catering to a wide range of activities and events



P2



OMNISPORTS ACTIVE +
8.1 MM

Ideal balance of performance & comfort for multi-sports

- Perfect balance of performance and comfort for variety of sports: shock absorption level $\geq 35\%$
- Enhanced gameplay and training sessions with uniformly reactive surface
- Suitable for high level sports practice



P2



OMNISPORTS PUREPLAY
9.4 MM

Extreme protection, comfort and sports performances

- Advanced protection and comfort: shock absorption level $\geq 35\%$
- Excellent game experience with supportive surface
- Suitable for high level sports practice



CHOOSE YOUR COLOURS

Endless design possibilities



LIGHT REFLECTANCE VALUE (LRV)

Our Omnisports contribute to the brightness of the spaces and factor into the overall LRV calculation of a sports facility.

Omnisports designs offer a diverse selection of LRV values with different levels of clarity, and based on the project criteria, they help conserve energy by reducing artificial lighting.



Create your dream court online



Sports centre, Lançon-Provence, France ©Lisa Ricciotti

A LARGE PALETTE OF 24 MODERN AND VIBRANT COLOURS & DESIGNS

Royal Blue	Night Blue	Sky Blue	Teal	Lagoon	Coral
Magenta	Purple	Red	Grey	Black	Orange
Yellow	Mint Green	Light Green	Lime	Light Maple	Beech
Golden Maple	Classic Oak	Dark Beech	Maple Red	Maple Grey	Maple Sky Blue

● ON DEMAND

for Compact, Speed & Training, minimum quantity: 700m² (+/- 10%)

Please refer to page 30 for product codes



CUSTOMISED OFFER

Would you like a sports hall with your city or club colours?

Create your own colour based on other Tarkett collections or from RAL/ Pantone/ NCS proposal.

Minimum quantity 800m² (+/- 10% by colour)
Leadtime 7 weeks

OMNISPORTS ALLOWS 3 INSTALLATION POSSIBILITIES TO ACCOMMODATE EACH FACILITY'S PARTICULAR CIRCUMSTANCES:


1 GLUED INSTALLATION METHOD:
TRADITIONAL METHOD WITH ACRYLIC GLUE

2 GLUED ON TARKOLAY:
INSTALLATION METHOD WITH ISOLATING MEMBRANE

3 GREENLAY™:
EXCLUSIVE LOOSE-LAY INSTALLATION METHOD

GreenLay™ is a sustainable loose-lay installation method with only 2% of the surface glued offering an economical and convenient solution.

- This unique method is made possible by:
- The product's outstanding dimensional stability (0.10%)
 - Omnisports Reference *Multi-use*, *Active+* & *Pureplay*'s weight
 - The honeycomb backing, creating a suction effect



Unique 2M roll width

30% less welding required, decreasing the areas at risk of soiling.

QUICK & EASY TO INSTALL



- Reduced installation time by **20%**
- **Immediate** setting in traffic
- **Easy access to subfloor** after installation with no damage to the subfloor.

PROVEN RELIABILITY



- **EN14904** compliant
- **25 years** of experience feedback
- Over **2 millions sqm** installed
- **10 years** warranted installation method

CONVENIENT & ECONOMICAL



- Resistance to **rising moisture, up to 7%**, and heated subfloors
- Solution for **asbestos floors** covering
- **Less than 10kg** of glue required per 1000sqm
- Eligible for ReStart® program with **no recycling costs** charged to the customer*



MORE THAN 2 MILLIONS M² FOR MORE THAN 25 YEARS






EASE OF MAINTENANCE



MAINTENANCE HAS NEVER BEEN EASIER WITH OMNISPORTS SURFACE TREATMENT TOPCLEAN XP™

Omnisports products benefit from a factory-applied polyurethane surface treatment TopClean XP™ that makes them extremely resistant to abrasion, scratches, stains, and chemicals, making them easier to maintain. Omnisports' TopClean XP™ surface treatment reduces cleaning and maintenance by simplifying the process.

ONLY
1%
OF DETERGENT FOR ROUTINE MAINTENANCE

 DAILY MANUAL MAINTENANCE	 WEEKLY MECHANICAL MAINTENANCE	 PERIODICAL MAINTENANCE (only 4 times per year)
<ul style="list-style-type: none"> Remove dust by sweeping. 	<ul style="list-style-type: none"> Remove dirt with automatic scrubber machine fitted out with a red pad and only 1% of detergent. 	<ul style="list-style-type: none"> Remove encrusted dirt with automatic scrubber machine fitted out with a red pad and alkaline detergent.

For more detailed technical information, please refer to maintenance guides available on our website.



VALUE YOUR JOBSITE WASTE!

RESTART®: FREE COLLECTION AND RECYCLING SERVICE

- Optimises jobsite waste management.
- Guarantees traceability of collected off-cuts.
- Integrates sustainable development and anticipates European regulation requirements.



TAILORED OFFER ROLL LENGTH ON DEMAND

Tarkett Sports can handle your length requirement in order to give you and your project the personal attention to details you deserve:

- Available by «multiple» of 10cm
- Reduces waste
- Time saving

Minimum quantity: 250m² (per colour)

GET THE AMOUNT YOU REALLY NEED

CUT SERVICE

- Available for all product profiles on stock rolls.
- Minimum quantity: 5m².

IMPROVE YOUR KNOWLEDGE OF INDOOR SPORTS

TAILORED TRAINING MODULES

Contact our professional and passionate training team for specific training modules that fits your needs:
training.sport@tarkett.com



A QUESTION?
A PROJECT?

Contact us !

Our dedicated team of passionate experts will guide you throughout your project:
info.tarkettsports.indoor@tarkett.com

OUR ECO-DESIGN APPROACH IS FOUNDED ON THREE INTERRELATED PILLARS



CLIMATE AND CIRCULAR ECONOMY

We continuously work on closing the loop on waste, using more recycled content to preserve our planet's natural resources, and ultimately **reducing** our carbon emissions and **impact on climate change**.

- Six recycling centres and five sustainable production sites in EMEA
- Our ReStart® program offers hassle-free flooring take-back
- Recycling waste and post-use*
- Using and increasing use of recycled content in our products
- Continually working to reduce our products' carbon footprint – scope 1 to 3



GOOD MATERIALS

We offer radical transparency about our products and subject ourselves to external scrutiny so that you can be **clear on the health and environmental performance** of our flooring and confident in your choice.

- Phthalate-free and biocide-free products
- Responsible use of PVC
- Full transparency on our products' ingredients, providing third-party assessments (EPD, MHS)
- Product development following Cradle to Cradle® approach




HEALTH & WELL-BEING

Contribute to **athletes' well-being** by providing healthy sports spaces with the **highest standards of Indoor Air Quality**.

- Floorings with VOC lower than the most stringent regulations
- Asthma & allergies certifications
- Developing cleaning protocols to reduce the use of biocides and harmful chemicals



FULL SOLUTION PROVIDER
FOR ALL THE AREAS OF YOUR PROJECT
A DEDICATED EXPERT TO GUIDE
THROUGHOUT THE PROCESS




**CONVERT YOUR SPORTS FACILITY INTO TEMPORARY SOCIAL EVENT HALL
WITH OUR PROTECTION SOLUTIONS:**



PROTECTILES
Textile protection tiles
1 box of 5 pcs - 10m²
total weight: 3.1kg/m²
total thickness: 5.2 mm
1 m x 2 m



TROLLEY FOR PROTECTILES
Ideal flooring for traffic areas
Capacity: 100 Protectiles



TOUCHDOWN
PVC floor protection
total weight: 2.2kg/m²
total thickness: 1.45mm
2m x 27lm



UNROLLER FOR TOUCHDOWN
2 elements kit
(A) device
(B) chuck

Some of our references...



Teddy Riner gymnasium
Lesquin, France



L'Usine
Tarbes, France
© Communauté d'Agglomération
Tarbes - Lourdes, Pyrénées



CREPS Pays de la Loire
La Chapelle-sur-Erdre,
France
© Brunet - Monié



Mabilion high school
Sedan, France




Pierre Talagrand sports center
Dole, France
© Paul Kozlowski



Medical Stadium
Merignac, France
© Guillaume Guérin



DreamFit
San Sebastian, Spain



Coum gymnasium
Ploudalmezeau, France
© Pascal Léopold



Agora gymnasium
Bouillargues, France
© Erick Saillet



Pierre Mazeaud gymnasium
Saint-Cyr-L'école, France
© Stéphane Aboudaram

DESIGN	COLOUR	OMNISPORTS PRODUCT CODES						WELDING RODS			
		COMPACT	SPEED	TRAINING	REFERENCE MULTI-USE	ACTIVE+	PUREPLAY	4 MM (DANCEFLOOR)	5 MM	NCS	LRV
SOLID	ROYAL BLUE	3917016	3707016	3708016	26528016	26541016			1285367	S6030-R90B	10
SOLID	NIGHT BLUE	3917024	3707024	3708024	26528024	26541024			1285029	S4050-R90B	12
SOLID	SKY BLUE	3917017	3707004	3708017	26528017	26541017	26513017		1285172	S4040-R90B	19
SOLID	TEAL	3917015	3707015	3708015	26528015	26541015			1285015	S3050-B40G	19
SOLID	LAGOON	3917034	3707034	3708034	26528034	26541034			1285195	S2030-B40G	43
SOLID	CORAL	3917033	3707033	3708033	26528033	26541033	26513033		1285633	S2070-Y80R	19
SOLID	MAGENTA	3917022	3707022	3708022	26528022	26541022			1285030	S2060-R30B	15
SOLID	PURPLE	3917025	3707025	3708025	26528025	26541025			1285027	S4050-R40B	10
SOLID	RED	3917011	3707003	3708011	26528011	26541011			1285808	S4050-R	11
SOLID	GREY	3917009	3707009	3708009	26528009	26541009	26513009	1288341	1285183	S5500-N	21
SOLID	BLACK	3917010	3707010	3708010	26528010	26541010		1292206	1285206	S9000-N	5
SOLID	ORANGE	3917012	3707012	3708012	26528012	26541012			1285139	S2060-Y50R	29
SOLID	YELLOW	3917013	3707013	3708013	26528013	26541013			1285013	S2050-Y10R	45
SOLID	MINT GREEN	3917026	3707002	3708026	26528026	26541026			1285365	S4040-B90G	17
SOLID	LIGHT GREEN	3917020	3707020	3708020	26528020	26541020			1285025	S2060-G60Y	37
SOLID	LIME	3917035	3707035	3708035	26528035	26541035			1285122	S1060-G80Y	52
WOOD	LIGHT MAPLE	3916019	3911019	3709019	26528019	26542019	26505019		1285031	S2010-Y20R	47
WOOD	BEECH	3916001	3911001	3709001	26528001	26542001			1285363	S4030-Y20R	30
WOOD	GOLDEN MAPLE	3916002	3911002	3709002	26528002	26542002	26505002		1285368	S3030-Y20R	36
WOOD	CLASSIC OAK	3916003	3911003	3709003	26528003	26542003			1285016	S4030-Y20R	24
WOOD	DARK BEECH	3916020	3911020	3709020	26528007	26542020			1285032	S7020-Y60R	8
WOOD	MAPLE RED	3916006	3911006	3709006	26528006	26542006			1285808	S4050-Y90R	10
WOOD	MAPLE GREY	3916005	3911005	3709005	26528005	26542005	26505009		1285183	S5502-Y80R	19
WOOD	MAPLE SKY BLUE	3916017	3911017	3709017	26528014	26542017			1285035	S3040-R90B	21

DANCEFLOOR

GREY : 3685002 - BLACK : 3685001

SPEED TABLE TENNIS

RED : 3910002

ACCESSORIES & PROTECTION PRODUCT CODES:

GREENLAY™ GLUE
210998002

GREENLAY™ TARKOTAPE
1551185

TARKOLAY UNDERLAYER
3960005

ALUMINIUM RAMP
210997 001

VENTILATED SKIRTING FOR GREENLAY™ & TARKOLAY INSTALLATION
Oak varnished: 1551067
Beech varnished: 1551065

PROTECTILES
Anthracite: 44003000
Light grey: 44003001
Dark brown: 44003002
Night blue: 44003003
Red: 44003004

TROLLEY FOR PROTECTILES
1568001

TOUCHDOWN
Chalk: 3964005
Concrete dark grey: 3964006
Concrete cool grey: 3964007

UNROLLER FOR TOUCHDOWN
(A) device : 1562001
(B) chuck : 1562002

TECHNICAL DATA	STANDARD	COMPACT	SPEED	TRAINING	REFERENCE MULTI-USE	ACTIVE +	PUREPLAY
CERTIFICATION & CLASSIFICATION							
Type of floor covering	EN 14041	Heterogeneous compact indoor floorcoverings	Heterogeneous indoor floorcoverings	Heterogeneous indoor floorcoverings			
	EN 14904				Heterogeneous indoor sports floorcoverings	Heterogeneous indoor sports floorcoverings	Heterogeneous indoor sports floorcoverings
Declaration of Performance	EN 14041	0120-003-DoP-2013-04	0120-006-DoP-2013-04	0120-026-DoP-2013-04			
	EN 14904				0120-080-DoP-2020-06	0120-095-DoP-2020-09	0120-071-DoP-2016-04
TECHNICAL CHARACTERISTICS							
Total thickness	ISO 24346 (EN 428)	2.0 mm	3.45 mm	5.0 mm	6.2 mm	8.1 mm	9.4 mm
Total weight	ISO 23997 (EN 430)	3 045 g/m ²	3 040 g/m ²	3 600 g/m ²	3950 g/m ²	4760 g/m ²	6 200 g/m ²
Width	ISO 24341 (EN 426)	2 m	2 m	2 m	2 m	2 m	2 m
Length	ISO 24341 (EN 426)	23 lm	20.5 lm	20.5 lm	20.5 lm	20.5 lm	20.5 lm
REQUIREMENTS FOR USE							
Shock absorption	Average measured value		≥ 4%	≥ 17%	P1	P2	P2
***	EN 14808 requirement				≥ 25%	≥ 35%	≥ 35%
Friction	Average measured value	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
➡	EN 13036-4 requirement	80 to 110	80 to 110	80 to 110	80 to 110	80 to 110	80 to 110
Vertical deformation	Average measured value		≤ 0.8 mm	≤ 1 mm	P1	P2	P2
⬇	EN 14809 requirement		≤ 5 mm	≤ 5 mm	≤ 2 mm	≤ 3 mm	≤ 3 mm
TECHNICAL REQUIREMENTS							
Vertical ball behaviour	Average measured value		Compliant	Compliant	Compliant	Compliant	Compliant
⬇	EN 12235 requirement		≥ 90%	≥ 90%	≥ 90%	≥ 90%	≥ 90%
Reaction to fire	EN 13501-1	Bfl s1*	Cfl s1*	Cfl s1*	Cfl s1+/**	Cfl s1+/**	Cfl s1+/**
Resistance to wear	EN ISO 5470-1		≤ 1g	≤ 1g	≤ 1g	≤ 1g	≤ 1g
Resistance to indentation	Average measured value***		≤ 0.18 mm	≤ 0.16 mm	≤ 0.1 mm	≤ 0.3 mm	≤ 0.5mm
⬇	EN 1516 requirement		≤ 0.5 mm	≤ 0.5 mm	≤ 0.5 mm	≤ 0.5 mm	≤ 0.5 mm
Resistance to a rolling load	Average measured value			Compliant	Compliant	Compliant	Compliant
⊙	EN 1569 requirement			≤ 0.5 mm	≤ 0.5 mm	≤ 0.5 mm	≤ 0.5 mm
Transmitted impact noise	ISO 10140-3		20dB	20dB	21dB	21dB	21dB
Thermal resistance	EN ISO 10456	Approx. 0.02 m ² K/W	Approx. 0.05 m ² K/W	Approx. 0.07 m ² K/W	Approx. 0.09 m ² K/W	Approx. 0.12 m ² K/W	Approx. 0.14 m ² K/W
ENVIRONMENTAL PERFORMANCES							
Total VOC emissions	ISO 16000-9	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)
Recycled content		32%	27%	21%	14%	16%	5%
COLOURS							
		Solid: 16/ Wood: 8	Solid: 16/ Wood: 8	Solid: 16/ Wood: 8	Solid: 16/ Wood: 8	Solid: 16/ Wood: 8	Solid: 3/ Wood: 3

The above information is subject to modification for the benefit of further improvement. (12/2023). * Glued installation ** GreenLay™ installation *** Measured on glued or with GreenLay™ Tarkett Sports' instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.





WORLD LEADER IN ATHLECTIC SURFACES



OMNISPORTS EN 12/2023 - 2060030069

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett Sports – Tel. +33 1 41 20 41 34 ■ Germany: Tarkett Holding GmbH – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett BV – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Fieldturf Poligras Tel: +34 630 93 67 71 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. složka – Tel: +420 271 001 600 ■ Hungary: Tarkett Polska SP Z.O.O. magyarországi fióktelepe – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o. o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka – Tel. +421 2 48291 317 ■ South East Europe: Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel: +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett Flooring India Pvt. Ltd. – Bangalore – Tel. +91 80 4130 3793 – New Delhi – Tel. +91 11 4352 4073 – Mumbai – Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico /Central America: Tarkett Latam Mexico – Tel. +55 11 98410 9310.

eu.tarkettsportsindoor.com

